



BELL



Bell



OTHER AVAILABLE CODES

BU1901.27.AC	<i>lens</i>	40°
	<i>light color</i>	2700K
BU1901.40.AC	<i>lens</i>	40°
	<i>light color</i>	4000K
example of code composition	27	2700K
	30	3000K
	40	4000K
BU1901.AC 4 R 40 M 30 WD		

TECHNICAL FEATURES

Code	BU1901.AC
Type	Downlight 90°
Material	AC: AirCoral®
Absorption capacity*	61.25 ft²
Weight	6.39 lbs
Mounting	Ceiling recessed
IP rating	IP20
Control gear	Remote constant current electronic driver (not included)
Cut out for plasterboard	8.66 × 8.66 in
Lamp type	LED 500 mA Vf: 18 VDC
Lamp wattage	1 × 9W
Luminous efficacy	1 × 1125 lm - 3000K
Light distribution	Wide beam 40°
Fitting	-
Light color	White 3000K
Light hole	5.12 × 5.12 in
Voltage connection	By driver (optional)
CRI	>90
Note	Other available light colors: 2700K, 4000K.

RECESSED LAMP
WITH INNER SHUTTER

designplan®

79 Trenton Avenue
Frenchtown, NJ 08825

www.designplan.com

Tel: (908) 996-7710
Fax: (908) 996-7042