



4.92"

## **GENIUS**





## 1000 Im IN A DIAMETER OF ONLY 0.79" (20 mm), EASY MAINTENANCE.

A bright product starting from its shape, discreet and elegant, able to perfectly integrate itself inside architecture, achieving extraordinary complete disappearance effects. Genius guarantees a perfect lighting in every environment it may be installed in: totally disappearing recessed luminaire for indoor spaces, made of AirCoral® and installable on plasterboard or brick ceilings. Able to emit an incredible light intensity for just a 0.79" (20 mm) emission hole, so tiny that it disappears when the product is turned off.

With a simple hand gesture, the electric part can be extracted directly from the hole which allows the light to pour out. This is possible thanks to the push-pull mechanism, which makes the eventual extraction and replacement of the LED source easier in case of maintenance.



79 Trenton Avenue Frenchtown, NJ 08825

www.designplan.com

Tel: (908) 996-7710 Fax: (908) 996-7042

## TECHNICAL FEATURES

Code BU1851.AC Type Downlight 90°

Material AC: AirCoral® 14.96 ft<sup>2</sup> Absorption capacity\* Weight 1.76 lbs Mounting Ceiling recessed IP rating

Control gear Remote constant current electronic driver (not included)

Cut out for plasterboard 5.31" x 4.33" Lamp type LED 700 mA **■** Vf: 11.5 VDC

8.5W Lamp wattage 1000 lm - 3000K Luminous efficacy Light distribution Wide beam 40° Fitting

White 3000K White 2700K | 4000K (on request) Light colour


Ø 0.79" Light hole


By driver (optional) >90 CRI

This product could be ordered with Note

IP65 protection grade.

Genius





Genius



designplan & designplan