HALF PINT

designplan®

With a body that is 0.625" thick yet only 3.0" tall, Half Pint offers the benefits of 9 in a more compact form. It features no power cord, integral 0-10V dimming drivers, multiple color temperatures and 4 finish options. Continuous runs available.

TECHNICAL DATA

Wattage / Input	72W (4 ft), 144W (8 ft) (120-277VAC - 347VAC available)				
Power Supply	Integral (0-10V Dimming)				
Construction	Body: Extruded Aluminum Mounting: Aircraft Cable				
ССТ	2700K, 3000K, 3500K, 4000K				
CRI	>90				
Delivered Lumens	Up - 1848 lm, Down - 1866 lm (4 ft, 3000K)				
Efficacy	Up: 25.6 lm/W, Down: 25.9 lm/W				
Optics	Up: Linear Spread, Down: Diffuse				
Finishes	4 Standard, See Below.				
Fixture Dimensions	See page 2.				
LED Source	Mid-Power LEDs				
IP Rating	IP20				



MADE IN THE U.S.A.

Fixture Dimensions See Chart and Drawing on page 2.

Up and Down dim togethe	ər
(Separate Dimming on reques	t)

ORDERING INFORMATION

Example: HPI-L-4-30-P-TS-C-SW.

HPI-L	-	-	- P	-	-	-
Model No.	Length	ССТ	Body	Finish	Driver	Canopy
HPI-L	 4 - 4 foot 6 - 6 foot 8 - 8 foot Addition for 6- or 8-foot version must be added. 	27 - 2700K 30 - 3000K 35 - 3500K 40 - 4000K	P - Pendant	02 - Black Suede 18 - Textured Bronze TS - Silver 11 - White Suede 99 - Custom	C - 120-277VAC, 0-10V Dimming 2 - 347V, 0-10V Dimming	 RC - Recessed* SC - Surface* RW - Recessed, White SW - Surface, White AS - Surface Acoustical Tile* AW - Surface Acoustical Tile, White * Same finish as fixture - Other color on request - NOTE: AS & AW utilize a rosette mounting pattern to allow direct mounting to a junction box that with the second secon

Job Name/Date:


Fixture Type Designation:

HALF PINT


designplan®

FIXTURE DIMENSIONS

4 foot version



8 foot version



Job Name/Date:

Fixture Type Designation:


sales@designplan.com www.designplan.com **79 Trenton Avenue, Frenchtown NJ 08825** © Copyright 2019 Designplan Lighting, Inc. Published: December 21, 2022 P: 908-996-7710 F: 908-996-7042 2 of 3



designplan®

PHOTOMETRIC DATA

Note all Photometry is 3000K



ACCESSORIES - CONNECTORS for Continuous Run

Connectors Example: HPI-C18021101

HPI	- C180	2		01
Model No.	Туре	# of Ends	Finish	Option
HPI	C180 - 180° Connector	2 - 2 Ends	02 - Black Suede	01 - None
			18 - Textured Bronze	
			TS - Silver	
			11 - White Suede	
			99 - Custom	

Job Name/Date:

Fixture Type Designation: