

HALF PINT

With a body that is 0.625" thick yet only 3.0" tall, Half Pint offers the benefits of 9 in a more compact form. It features no power cord, integral 0-10V dimming drivers, multiple color temperatures and 4 finish options. Continuous runs available.



MADE IN THE U.S.A.

Fixture Dimensions
See Chart and Drawing on page 2.

Up and Down dim together
(Separate Dimming on request)

TECHNICAL DATA

Wattage / Input	72W (4 ft), 144W (8 ft) (120-277VAC - 347VAC available)
Power Supply	Integral (0-10V Dimming)
Construction	Body: Extruded Aluminum Mounting: Aircraft Cable
CCT	2700K, 3000K, 3500K, 4000K
CRI	>90
Delivered Lumens	Up - 1848 lm, Down - 1866 lm (4 ft, 3000K)
Efficacy	Up: 25.6 lm/W, Down: 25.9 lm/W
Optics	Up: Linear Spread, Down: Diffuse
Finishes	4 Standard, See Below.
Fixture Dimensions	See page 2.
LED Source	Mid-Power LEDs
IP Rating	IP20

ORDERING INFORMATION

Example: **HPI-L-4-30-P-10-C-SW**.

HPI-L	-		-	P	-		-	
-------	---	--	---	---	---	--	---	--

Model No.	Length	CCT	Body	Finish	Driver	Canopy
HPI-L	4 - 4 foot 6 - 6 foot 8 - 8 foot <i>Addition for 6- or 8-foot version must be added.</i>	27 - 2700K 30 - 3000K 35 - 3500K 40 - 4000K	P - Pendant	02 - Black Suede 18 - Textured Bronze 10 - Matte Silver 11 - White Suede 99 - Custom	C - 120-277VAC, 0-10V Dimming 2 - 347V, 0-10V Dimming	RC - Recessed* SC - Surface* RW - Recessed, White SW - Surface, White AS - Surface Acoustical Tile* AW - Surface Acoustical Tile, White <i>* Same finish as fixture - Other color on request -</i>


NOTE: AS & AW utilize a rosette mounting pattern to allow direct mounting to a junction box that will hold a minimum of 50 lbs.

Job Name/Date:


Fixture Type Designation:

FIXTURE DIMENSIONS

4 foot version



8 foot version




Job Name/Date:

Fixture Type Designation:

PHOTOMETRIC DATA

Note all Photometry is 3000K

Maximum Candela = 796



ACCESSORIES - CONNECTORS for Continuous Run

Connectors Example: HPI-C18021101

HPI	-	C180	2		01
Model No.	Type	# of Ends	Finish	Option	
HPI	C180 - 180° Connector	2 - 2 Ends	02 - Black Suede 18 - Textured Bronze 10 - Matte Silver 11 - White Suede 99 - Custom	01 - None	

Job Name/Date:

Fixture Type Designation: