




TAL


designplan® 



2.20 in. / Installation depth 2.76 in. solid ceilings

2.17 in. / Installation depth 2.17 in. hollow ceilings

LEAF



2.17 in. Installation depth 2.56 in.

TORSION

Helax SML Out Leaf / Torsion

LUXEON M - 3.82W - 350mA DC - (10.95 Vf)

400 lumen 2700K CRI90

429 lumen 3000K CRI90

dimmability: PWM/CCR

beam 36°

	housing	2700K LEAF	3000K LEAF
IP 65	text. black	T178526	T178536
	text. white	T178547	T178557

	2700K TORSION	3000K TORSION
	T178626	T178636
	T178647	T178657

	housing	2700K LEAF	3000K LEAF
	text. black	T178725	T178726
	text. white	T178746	T178747

	2700K TORSION	3000K TORSION
	T178735	T178736
	T178756	T178757

Suitable for aggressive environments f.ex. coastal areas and swimming pools

4000K on demand

CASAMBI
ON DEMAND

Helax family members:





Micro Helax Out 400


LUXEON M - 3.82W - 350mA DC - (10.95 Vf)

400 lumen 2700K CRI90

429 lumen 3000K CRI90

dimmiability: PWM/CCR

beam 36°



1.57 in.

Installation depth 2.36 in.

housing	2700K	3000K
text. black	T178946	T178947
text. white	T178940	T178941


4000K on demand

CASAMBI
ON DEMAND




Helax family members:





2.76 in.
Installation depth
3.35 in. hollow ceilings /
3.94 in. solid ceilings

LEAF



2.76 in.
Installation depth
3.35 in.

TORSION

Helax 70 Out Haloed Leaf / Torsion

LUXEON M - 7.84W - 700mA DC - (11.2 Vf)

755 lumen 2700K CRI90

810 lumen 3000K CRI90

dimmability: PWM/CCR

beam 36°

housing	2700K LEAF	3000K LEAF
text. black	T249046	T249056
text. white	T249047	T249057

housing	2700K TORSION	3000K TORSION
text. black	T249016	T249026
text. white	T249017	T249027

4000K on demand

CASAMBI
ON DEMAND



Helax family members:

