




TAL


designplan® 



2.20 in. / Installation depth 2.76 in. solid ceilings

2.17 in. / Installation depth 2.17 in. hollow ceilings

LEAF



2.17 in. Installation depth 2.56 in.

TORSION

Helax SML Out Leaf / Torsion

LUXEON M - 3.82W - 350mA DC - (10.95 Vf)

400 lumen 2700K CRI90

429 lumen 3000K CRI90

dimmability: PWM/CCR

beam 36°

housing		2700K LEAF	3000K LEAF
IP 65	text. black	T678526	T678536
	text. white	T678547	T678557

2700K TORSION	3000K TORSION
T678626	T678636
T678647	T678657

housing		2700K LEAF	3000K LEAF
	text. black	T678725	T678726
	text. white	T678746	T678747

2700K TORSION	3000K TORSION
T678735	T678736
T678756	T678757

Suitable for aggressive environments f.ex. coastal areas and swimming pools


4000K on demand

CASAMBI
ON DEMAND




Helax family members:





2.76 in.
Installation depth
3.35 in. hollow ceilings /
3.94 in. solid ceilings

LEAF



2.76 in.
Installation depth
3.35 in.

TORSION

Helax 70 Out Haloed Leaf / Torsion

LUXEON M - 7.84W - 700mA DC - (11.2 Vf)

755 lumen 2700K CRI90

810 lumen 3000K CRI90

dimmability: PWM/CCR


beam 36°

housing	2700K LEAF	3000K LEAF
text. black	T249046	T249056
text. white	T249047	T249057

housing	2700K TORSION	3000K TORSION
text. black	T249016	T249026
text. white	T249017	T249027

4000K on demand

CASAMBI
ON DEMAND



Helax family members:

