

# LAM PHANTOM LINEAR


LAM Phantom Linear is a wall or ceiling mounted LED luminaire which delivers uniformity of light distribution and performance. It comes in 5 standard finishes and 3 sizes that can be used to create unique combinations on its own or with other Phantom shapes. **ADA compliant.**



Fixture Dimensions - See page 2

## TECHNICAL DATA

<b>Wattage / Input</b>	6.5W, 13W, 19.5W
<b>Power Supply</b>	Remote 24VDC, not included. See page 2.
<b>Construction</b>	Body: Aluminum Lens: Extra Clear Acrylic Cable Length: 1.64'
<b>CCT</b>	2700K, 3000K, 4000K
<b>BUG Rating</b>	B0-U2-G0
<b>Delivered Lumens</b>	996 lm (3000K - Phantom Linear 1) 1992 lm (3000K - Phantom Linear 2) 2988 lm (3000K - Phantom Linear 3)
<b>Efficacy</b>	153.2 lm/W (3000K)
<b>Optics</b>	Diffuse
<b>Finishes</b>	5 Standard, See Below
<b>Fixture Dimensions</b>	11.8", 23.6", 35.4" l w x 3.9" w x 2.4" h
<b>Color Consistency</b>	<3-Step MacAdam
<b>IP Rating</b>	IP65
<b>Impact Resistance</b>	IK07



## ORDERING INFORMATION


Example: LM01.104459.US.04.DI.BF. Power Supplies ordered separately.

		DI	
Model No.	Finish	Optic	CCT
LM01.104458.US (Linear 1 - 6.5W)	01 - White	DI - Diffuse	BC - 2700K
LM01.104459.US (Linear 2 - 13W)	02 - Black		BP - 3000K
LM01.104460.US (Linear 3 - 19.5W)	03 - Gray		BF - 4000K
	04 - Cor-ten		
	11 - Anthracite		


Job Name/Date:

Fixture Type Designation:


## FIXTURE DIMENSIONS



11.81" x 3.94" x H2.36"



23.62" x 3.94" x H2.36"



35.43" x 3.94" x H2.36"

## SUGGESTED POWER SUPPLIES

24VDC

Part Number	Description	Input/Output	# of Fixtures		
			6.5W	13W	19.5W
<a href="#">PPLT00284</a>	Non-Dim	120-277VAC to 24VDC, 100W, Class 2, DAMP	1-12	1-6	1-4

## SUGGESTED POWER SUPPLIES

Remote 24VDC Driver in NEMA Enclosure - ELV / TRIAC / 0-10V



PPLT00715

Part Number	Description	Input/Output	# of Fixtures		
			6.5W	13W	19.5W
<a href="#">PPLT00715</a>	ELV / TRIAC / 0-10V Dimming to 0.1%	120-277VAC to 24VDC, 96W, Class 2, WET/DAMP	1-11	1-5	1-3

For other power supply options consult factory.


Job Name/Date:

Fixture Type Designation:

## PHOTOMETRIC DATA

### Linear 1


Maximum Candela = 192.0



PHOTOMETRIC FILENAME : PHANTOM LINEAR 1 LM01.104458.XX.DI.XX 11.8IN.IES

### Linear 2


Maximum Candela = 192.0



PHOTOMETRIC FILENAME : PHANTOM LINEAR 2 LM01.104459.XX.DI.XX 23.6IN.IES

### Linear 3

Maximum Candela = 192.0



PHOTOMETRIC FILENAME : PHANTOM LINEAR 3 LM01.104460.XX.DI.XX 35.4IN.IES

Job Name/Date:

Fixture Type Designation: