



Matita

SKETCHING SOFT LINES

Matita is a Bollard in extruded and die-cast aluminum, with a minimal line and characterized by the absence of a cylindrical diffuser, which is instead fixed under the head with silicone glue to guarantee IP tightness.

Available in three heights: h.6.3 in; h.19.7 in; h.31.5 in, led colors 2700K or 3000K and powered at low voltage or with integrated power supply.

The cleaning of the lines and the possibility of reducing the luminance with the use of the black instead of the white conical reflector, make Matita a bollard with multiple uses.


designplan® 





Matita

h 6.3



Available finishes:

- white
- sand
- graphite
- aluminum
- corten

Light Source Supply

mid power led
120/277V
power supply included

Power

12W total

Dimmer CRI

not
≥80

Led Color temp.

2700K/3000K

IP rating Application Diffuser

65
floor
transparent tempered glass



			lm	white	sand	graphite	aluminum	corten
2700K 10W led 12W total	120/277V	White Reflector	1100	D900330012	D900330013	D900330014	D900330015	D900330018
		Black Reflector	880	D900330062	D900330063	D900330064	D900330065	D900330068

			lm	white	sand	graphite	aluminum	corten
3000K 10W led 12W total	120/277V	White Reflector	1158	D900310012	D900310013	D900310014	D900310015	D900310018
		Black Reflector	926	D900310062	D900310063	D900310064	D900310065	D900310068

Matita

h 19.7



Available finishes:



Light Source Supply

mid power led
120/277V power supply included

Dimmer

upon request
for power supply version

CRI

≥80

IP rating

65

Application

floor

Diffuser

transparent tempered glass

Power

10W LED - 12W total

LED Color temp.

2700K/3000K




				lm	white	sand	graphite	aluminum	corten
2700K 10Wled 12W total	120/277V	White Reflector	1100	D900330032	D900330033	D900330034	D900330035	D900330038	
		Black Reflector	880	D900330072	D900330073	D900330074	D900330075	D900330078	

				lm	white	sand	graphite	aluminum	corten
3000K 10Wled 12W total	120/277V	White Reflector	1158	D900310032	D900310033	D900310034	D900310035	D900310038	
		Black Reflector	926	D900310072	D900310073	D900310074	D900310075	D900310078	

Matita

h 31.5



Available finishes:



Light Source Supply

mid power led
120/277V power supply included

Power

10W LED - 12W total

Dimmer

upon request
for power supply version

Led Color temp.

2700K/3000K

CRI

≥80

IP rating

65

Application

floor

Diffuser


transparent tempered glass



		lm		white	sand	graphite	aluminum	corten
2700K	120/277V	White Reflector	1100	D900330052	D900330053	D900330054	D900330055	D900330058
		Black Reflector	880	D900330082	D900330083	D900330084	D900330085	D900330088
10W led								
12W total								

		lm		white	sand	graphite	aluminum	corten
3000K	120/277V	White Reflector	1158	D900310052	D900310053	D900310054	D900310055	D900310058
		Black Reflector	926	D900310082	D900310083	D900310084	D900310085	D900310088
10W led								
12W total								

ACCESSORIES




Shield 180°

code **9044**



Anchor bolts
Ø4.6 x 6.3 in

code **9009**



2-3 way 3 poles terminal block IP68
2.4x1.4x7.0 in

code **9036**

ACCESSORIES:

code 9044 / 9009 / 9036