



Matita Square

LIGHT IS SHAPE AND VISION

Matita Square is a bollard made of extruded and die-cast aluminum, finished with cataphoresis treatment and a layer of polyester powder paint resistant to outdoor environments.

With clean and simple lines, the diffuser is attached under the head with silicone adhesive to ensure IP protection and is characterized by a conical reflector.

Equipped with a Mid-power LED board (2700K or 3000K), it is available in four heights: h.6.3 in; h.11.8 in; h.19.7 in; h.31.5 in, and operates at low voltage.

The clean lines and the option to reduce luminance (with the possibility of choosing a version with a black conical reflector) make Matita a versatile bollard for various uses.


designplan® 





Matita Square

h 6.3



Available finishes:




Light Source
Supply
CRI

IP rating
Application
Diffuser

mid power led
Remote 24VDC
≥80
65
ground
frosted polycarbonate

Power
LED Color temp.

24VDC 6.2W LED 8.5W total
2700K/3000K




			lm	white	sand	graphite	aluminum	corten
2700K	24VDC	White Reflector	350	D901331002	D901331003	D901331004	D901331005	D901331008
		Black Reflector	212	D901331012	D901331013	D901331014	D901331015	D901331018
6.2W led								
8.5 W total								
3000K	24VDC	White Reflector	368	D901311002	D901311003	D901311004	D901311005	D901311008
		Black Reflector	223	D901311012	D901311013	D901311014	D901311015	D901311018
6.2W led								
8.5 W total								

ACCESSORIES:

code 9041 | anchor bolts □76 (100 min) x 6.3 in

Matita Square

h 11.8



Available finishes:

- white
- sand
- graphite
- aluminum
- corten

Light Source mid power led
Supply Remote 24VDC
CRI ≥80
Electrical Class II
IP rating 65
Application ground
Diffuser frosted polycarbonate

Power 24VDC 6.2W LED 8.5W total
Led Color temp. 2700K/3000K



		lm	white	sand	graphite	aluminum	corten
2700K 24VDC 6.2W led 8.5 W total	White Reflector	350	D901331022	D901331023	D901331024	D901331025	D901331028
	Black Reflector	212	D901331032	D901331033	D901331034	D901331035	D901331038
3000K 24VDC 6.2W led 8.5 W total	White Reflector	368	D901311022	D901311023	D901311024	D901311025	D901311028
	Black Reflector	223	D901311032	D901311033	D901311034	D901311035	D901311038

ACCESSORIES:

code 9041 | anchor bolts □76 (100 min) x 6.3 in

Matita Square

h 19.7



Available finishes:

- white
- sand
- graphite
- aluminum
- corten

Light Source
Supply
CRI


mid power led
Remote 24VDC
≥80

IP rating
Application
Diffuser

65
ground
frosted polycarbonate

Power
Led Color temp.

240VDC 6.2WLED 8.5W total
2700K/3000K



			lm	white	sand	graphite	aluminum	corten
2700K	24VDC	White Reflector	350	D901331062	D901331063	D901331064	D901331065	D901331068
		Black Reflector	212	D901331072	D901331073	D901331074	D901331075	D901331078
6.2W led 8.5W total								
3000K	24VDC	White Reflector	368	D901311062	D901311063	D901311064	D901311065	D901311068
		Black Reflector	223	D901311072	D901311073	D901311074	D901311075	D901311078
6.2W led 8.5W total								

ACCESSORIES:

code 9041 | anchor bolts □76 (100 min) x 6.3
in

Matita Square

h 31.5



Available finishes:

- white
- sand
- graphite
- aluminum
- corten

Light Source
Supply
CRI

mid power led
Remote 24VDC
≥80

IP rating
Application
Diffuser

65
ground
frosted polycarbonate

Power
LED Color temp.

24V DC 6.2W LED 8.5W total
2700K/3000K



			lm	white	sand	graphite	aluminum	corten
2700K	24VDC	White Reflector	350	D901331042	D901331043	D901331044	D901331045	D901331048
		Black Reflector	212	D901331052	D901331053	D901331054	D901331055	D901331058
6.2W led 8.5 W total								
3000K	24VDC	White Reflector	368	D901311042	D901311043	D901311044	D901311045	D901311048
		Black Reflector	223	D901311052	D901311053	D901311054	D901311055	D901311058
6.2W led 8.5 W total								

ACCESSORIES:

code 9041 | anchor bolts □76 (100 min) x 6.3 in