



Metoo

EMOTION IN LIGHT

Metoo Wall or ceiling fixture made of high-quality aluminum, treated with cataphoresis and coated with a layer of polyester powder resistant to outdoor environments.

Minimalistic and elegant, with compact dimensions to easily integrate into all architectural designs.

The LED module, available in 2700K and 3000K color temperatures, is silicon-sealed inside a transparent capsule attached to the body.

The light is reflected and diffused, making it a functional and discreet fixture.


designplan® 





Metoo

wall



Available finishes:



Light Source
Supply
CRI
IP rating

Application
Diffuser

mid power led
 Remote 24VDC
 ≥80
 IP65

Power 24VDC 9W
Led Color temp. 2700K / 3000K


ceiling, wall
 tempered transparent glass



		lm	white	sand	graphite	aluminum	corten
2700K	24VDC	444	D900231042	D900231043	D900231044	D900231045	D900231048
9W							
		lm	white	sand	graphite	aluminum	corten
3000K	24VDC	468	D900211042	D900211043	D900211044	D900211045	D900211048
9W							

Metoo

bollard



Available finishes:



Light Source
Supply
CRI
IP rating

Application
Diffuser

mid power led
 Remote 24VDC
 ≥80
 IP65
 |
 floor /ground
 transparent glass

Power
Led Color temp.

24VDC 9W LED - 12.6W
 2700K / 3000K



H 7.9"		lm	white	sand	graphite	aluminum	corten
2700K 9W led 12.6W total	24VDC	444	D900231012	D900231013	D900231014	D900231015	D900231018
3000K 9W led 12.6W total	24VDC	468	D900211012	D900211013	D900211014	D900211015	D900211018
H 15.7"		lm	white	sand	graphite	aluminum	corten
2700K 9W led 12.6W total	24VDC	444	D900231022	D900231023	D900231024	D900231025	D900231028
3000K 9W led 12.6W total	24VDC	468	D900211022	D900211023	D900211024	D900211025	D900211028
H 31.5"		lm	white	sand	graphite	aluminum	corten
2700K 9W led 12.6W total	24VDC	444	D900231032	D900231033	D900231034	D900231035	D900231038
3000K 9W led 12.6W total	24VDC	468	D900211032	D900211033	D900211034	D900211035	D900211038




ACCESSORIES



Anchor bolts

8.6x1.9 (3.5max) x 6.9 in

code 9042



3-4 way - 4 poles terminal block IP68

2.1x1.0x3.2 in

code 9005

ACCESSORIES:

code 9042 / 9005

