



diomede

2021


MIMICRY

designplanTM

79 Trenton Avenue
Frenchtown, NJ 08825

www.designplan.com

Tel: (908) 996-7710
Fax: (908) 996-7042



Fixture installed in its natural clay finishing.



Fixture painted with water-based color.



MIMICRY

The essence of absence

MIMICRY

ROUND Ø8.66"

SQUARE L8.66"








natural clay



Mimicry is an outdoor luminaire for wall installation with LED light source.

A radial emission wall luminaire with a cover made of a partially porous natural material which is resistant to the most extreme weather conditions and paintable with water-based colors, this gives you the possibility to choose for a perfectly integrated lighting fixture or a contrasting one with the aesthetics of the facade. The 360° radial emission is indirect to minimize glare and is generated by 60 mid power LEDs for a total power of 13W, available in three colors temperature 2700K, 3000K or 4000K.

The structure of the luminaire is made of die-cast aluminum EN47100, matte white double layer polyester powder painted and transparent s UV stabilized optical polycarbonate obtained by injection, sealed with molded silicone gaskets. Mimicry is equipped with a stainless steel wall fixing bracket and insulation gel connectors for quick and safe electrical connection. The connection can only be of the terminal type. It operates ON / OFF with an integrated 120VAC power supply: IP65 water protection degree.



Ø=8.66" 360° 13W ON /OFF 120VAC

2700K	855 lm	D901832000.US
-------	--------	---------------

3000K	900 lm	D901812000.US
-------	--------	---------------

4000K	945 lm	D901822000.US
-------	--------	---------------







L=8.66" 360° 13W ON /OFF 120VAC

2700K	855 lm	D901832010.US
-------	--------	---------------

3000K	900 lm	D901812010.US
-------	--------	---------------

4000K	945 lm	D901822010.US
-------	--------	---------------



8.66"

2.62"



