

↻ 359° ↻ 359°

❗ Fits on box only in combination with wall adapter  
Installation depth 2.40"

## Micro Scoop 350mA


LUXEON M - 3.82W - 350mA DC - (10.95 Vf)

400 lumen 2700K CRI90

429 lumen 3000K CRI90

dimmability: PWM/CCR - beam 36°

housing	focus	2700K	3000K
text. white	text. white	T607027	T607227
text. black	text. black	T607026	T607226
Cu29	text. black	T607057	T607257
text. white	text. black	T607095	T607295
text. black	gold ano	T607096	T607296
brush. gold	text. black	T607013	T607213
brush. titanium	text. black	T607014	T607214
brush. bronze	text. black	T607015	T607215
+ Microscoop wall adapter	text. white		T607947
	text. black		T607926




❗ Halosphere (dim 3000K-1800K) on demand

❗ 4000K on demand

CASAMBI  
ON DEMAND

Scoop family members:



IP  
20


F

⌂

0.66 lbs

E  
A  
T  
G





↻ 359° ↻ 90°  
Installation depth 2.40"

## Mini Scoop 350mA

LUXEON M - 7.84 W - 700mA 50-60Hz AC

755 lumen 2700K CRI90

810 lumen 3000K CRI90

dimnable

beam 9° - 38° - 60°

housing	2700K		
	9°	38°	60°
text. white	T179727	T179747	T179767
text. black	T179706	T179726	T179746

housing	3000K		
text. white	T179737	T179757	T179777
text. black	T179716	T179736	T179756

+ Mini Scoop foot		text. white	T179090
		text. black	T179091

ⓘ Halosphere (dim 3000K-1800K) on demand

ⓘ 4000K on demand

CASAMBI  
ON DEMAND

Scoop family members:

