

Nature and light

nest

design by Landa R&D

designplan® 

79 Trenton Avenue
Frenchtown, NJ 08825

www.designplan.com

Tel: (908) 996-7710
Fax: (908) 996-7042



nest

An unexpected LANDA product, Nest takes its inspiration from nature.

A luminaire with IP65 protection level, suitable for lighting the branches of trees and hedges in public and private gardens.

Nest's light, with a color temperature of 3000K and diffused beam with a power of 8W, enhances applications to the maximum with minimum artificiality.

*The dissipating CNC-machined aluminum body is **fixed** to the steel frame, on which the web of willow branches develops.*

At a later stage, the part in natural wood undergoes a nanoparticle varnishing treatment to provide maximum resistance to atmospheric agents. The range is available in two different sizes: Ø6.69" x 4.33" and Ø9.25" x 5.12"





nest

DIFFUSE

8W



TECHNICAL SPECIFICATIONS

Source lamp

Total wattage

Voltage

Control

Light colour

Delivered lumens

*Source lumens

Luminous efficacy

McADAM steps

Beam

CRI

Lifetime

IP rating

IK rating

DIFFUSE • Ø6.69"

LED 8W

8W

120VAC, 50-60Hz

On/Off

3000K

175 lm (640 lm*)

22 lm/W

3

Diffuse

> 90

L70 > 50.000 h Ta 40°C

IP65

IK08

DIFFUSE • Ø9.25"

LED 8W

8W

120VAC, 50-60Hz

On/Off

3000K

190 lm (640 lm*)

24 lm/W

3


Diffuse

> 90

L70 > 50.000 h Ta 40°C


IP65

IK08



E (FC)

H (ft)	fc (3000 K)	Ø (ft)
3.28'	11.3	2.82'
6.56'	2.8	5.61'
9.84'	1.3	8.43'
13.12'	0.7	11.25'
16.40'	0.5	14.04'



E (FC)



H (ft)	fc (3000 K)	Ø (ft)
3.28'	11.3	3.08'
6.56'	2.8	6.20'
9.84'	1.3	9.28'
13.12'	0.7	12.40'
16.40'	0.5	15.49'

MATERIALS


Body	Welded steel frame, aluminum heatsink
Diffuser	Opal polycarbonate
Finishing	Braided willow with nanoparticle painting

ORDER CODE

NS_0 000 D H B 7 Z G	
	Diameter
7	Ø 6.69"
8	Ø 9.25"
Example	NS 7 0 000 D H B 7 Z G



INCLUDED ACCESSORIES

Code	Description
-	 Tree rope
-	6.56' length cable H05RN-F

AVAILABLE ACCESSORIES

Code	Description
01083020000V	NS70 debris protection kit
01083030000V	NS80 debris protection kit





