POLO PENDANT



datasheet

The Polo collection are custom made round and shaped pendants up to 19.6 feet in size. The are available with direct, indirect or a combination light source with uniform diffusion at all times using a stretch fabric diffuser. A full range of custom colors are available.

.



Fixture Dimensions

TECHNICAL DATA

Wattage / Input				
Power Supply				
Construction	Body: Aluminum			
ССТ	White, Tunable White, RGB, RGBW			
CRI				
Delivered Lumens				
Efficacy				
Optics	Direct, Indirect, Combination			
Finishes	Custom RAL			
Fixture Dimensions				
LED Source				
IP Rating				

ORDERING INFORMATION

Example:

	-	-	- P	-	-	-
Model No.	Length	CCT 27 - 2700K 30 - 3000K 35 - 3500K 40 - 4000K	Body P - Pendant	Finish 02 - Black Suede 04 - Bronze 10 - Matte Silver 11 - White Suede 99 - Custom	Driver	Сапору

^{*} Same finish as fixture

- Other color on request -

Job Name/Date:

Fixture Type Designation:

P: 908-996-7710 F: 908-996-7042

1 of 3

POLO PENDANT



datasheet

FIXTURE DIMENSIONS

4 foot version

Job Name/Date: Fixture Type Designation:

POLO PENDANT



datasheet

PHOTOMETRIC DATA

Note all Photometry is 3000K

CONNECTORS

Connectors Example: D90-C180-2-11-01

ACCESSORIES ORDERING

Connectors

Job Name/Date: Fixture Type Designation: