

# SOFIA

---

Sofia is a thin and discreet bollard suitable for solid surface installation.

Head section made of EN47100 die-cast aluminum, machining aluminum base and three sizes pole of extruded aluminum H. 6.37", H. 19.7", H. 31.5".

Powder polyester coated on treated layer to prevent corrosion, available in four standard colors.


The chemical treatment of aluminum fixtures consists of Cataphoresis process followed by a 60/80micron layer of power polyester coating.


- 360° diffused downward emission.
- Remote Power Supply 500mA (10W LED)
- Light source MID Power LED
- CCT: 2700K/3000K/4000K CRI≥80
- Tempered transparent glass, silicon glued to the head section
- IP65
- IK07
- A 7.9" outgoing neoprene cable and IP connector kit included
- Emission 180° shield (9045), IP connectors (9004) (9005) and power supply to be separately ordered.












h 6.3" - 19.7" - 31.5"









	<b>SOFIA</b>	H 6.30"	10W LED	500mA								
								<i>white</i>	<i>sand</i>	<i>graphite</i>	<i>aluminum</i>	<i>corten</i>
2700K		1094 lm	901237092	901237093	901237094	901237095	901237098					
3000K		1152 lm	901217092	901217093	901217094	901217095	901217098					
4000K		1209 lm	901227092	901227093	901227094	901227095	901227098					



	<b>SOFIA</b>	H 19.7"	10W LED	500mA								
								<i>white</i>	<i>sand</i>	<i>graphite</i>	<i>aluminum</i>	<i>corten</i>
2700K		1094 lm	901237102	901237103	901237104	901237105	901237108					
3000K		1152 lm	901217102	901217103	901217104	901217105	901217108					
4000K		1209 lm	901227102	901227103	901227104	901227105	901227108					



<b>SOFIA</b>		H 31.5"	10W LED	500mA			
							
		<i>white</i>	<i>sand</i>	<i>graphite</i>	<i>aluminum</i>	<i>corten</i>	
2700K	1094 lm	901237112	901237113	901237114	901237115	901237118	
3000K	1152 lm	901217112	901217113	901217114	901217115	901217118	
4000K	1209 lm	901227112	901227113	901227114	901227115	901227118	



# SOFIA SPIKE

---


Sofia Spike is a thin and discreet bollard suitable for ground installation.

Head section made of EN47100 die-cast aluminum, fiberglass reinforced plastic spike and three sizes pole of extruded aluminum H. 6.3", H 19.7", H. 31.5".

Powder polyester coated on treated layer to prevent corrosion, available in four standard colors.


The chemical treatment of aluminum fixtures consists of Cataphoresis process followed by a 60/80micron layer of power polyester coating.

- 360° diffused downward emission.
- Remote Power Supply (10W LED)
- Light source MID Power LED
- CCT: 2700K/3000K/4000K CRI≥80
- Tempered transparent glass, silicon glued to the head section
- IP65
- IK07
- A 7.87" outgoing neoprene cable and IP connector kit included
- Spike included
- Emission 180° shield (9045), IP connectors (9004) (9005) and power supply to be separately ordered.





h 6.30" - 19.7" - 31.5"









**SOFIA SPIKE**

H 6.3"

10W LED

500mA

						
		<i>white</i>	<i>sand</i>	<i>graphite</i>	<i>aluminum</i>	<i>corten</i>
2700K	1094 lm	901237152	901237153	901237154	901237155	901237158
3000K	1152 lm	901217152	901217153	901217154	901217155	901217158
4000K	1209 lm	901227152	901227153	901227154	901227155	901227158









**SOFIA SPIKE**

H 19.7"

10W LED

500mA

						
		<i>white</i>	<i>sand</i>	<i>graphite</i>	<i>aluminum</i>	<i>corten</i>
2700K	1094 lm	901237162	901237163	901237164	901237165	901237168
3000K	1152 lm	901217162	901217163	901217164	901217165	901217168
4000K	1209 lm	901227162	901227163	901227164	901227165	901227168





**SOFIA SPIKE**

H 31.50"

10W LED

500mA

						
		<i>white</i>	<i>sand</i>	<i>graphite</i>	<i>aluminum</i>	<i>corten</i>
2700K	1094 lm	901237172	901237173	901237174	901237175	901237178
3000K	1152 lm	901217172	901217173	901217174	901217175	901217178
4000K	1209 lm	901227172	901227173	901227174	901227175	901227178









## ACCESSORIES



**SHIELD 180°**

---

9044



**2 WAY - 3 POLES TERMINAL BLOCK IP68**

---

9004



**3-4 WAY - 4 POLES TERMINAL BLOCK IP68**

---

9005