

STRIPP XF IP20

INDOOR

Fix (not adjustable) 0° - 0°

3.27" × 21.65"

Material : CALCYT® plaster

STRIPP XF LED DIM 100 LM

REF N° 141 60 500 CRI 80 warm white 2200°K


REF N° 141 60 000 CRI 90 warm white 2700°K

REF N° 141 60 100 CRI 90 warm white 3000°K

REF N° 141 60 200 CRI 90 neutral white 4000°K

REF N° 141 60 300 royal blue

1W - excl. LED driver -
current controlled 350mA - 
Ⓟ - serial wiring - 3 Step MacAdam
Requires remote LED driver - 350mA



Ready for installation in solid walls
Optional plasterkit for installation into gypsum walls

PLASTERKIT STRIPP XF

REF N° 743 01 000 For mounting into gypsum walls

Housing: perforated aluminum

designplan® 

79 Trenton Avenue
Frenchtown, NJ 08825

Tel: (908) 996-7710
Fax: (908) 996-7042

STRIPP XF IP54


BATHROOM

Fix (not adjustable) 0° - 0°

3.27" × 21.65"

Material : CALCYT® plaster

STRIPP XF LED DIM 100 LM	
REF N° 141 60 501	CRI 80 warm white 2200°K
REF N° 141 60 001	CRI 90 warm white 2700°K
REF N° 141 60 101	CRI 90 warm white 3000°K
REF N° 141 60 201	CRI 90 neutral white 4000°K
REF N° 141 60 301	royal blue
1W - excl. LED driver - current controlled 350mA -  Ⓢ - serial wiring - 3 Step MacAdam Requires remote LED driver - 350mA	



Ready for installation in solid walls
Optional plasterkit for installation into gypsum walls

PLASTERKIT STRIPP XF
REF N° 743 01 000 For mounting into gypsum walls
Housing: perforated aluminum

STRIPP XF IP54

OUTDOOR

Fix (not adjustable) 0° - 0°

3.27" × 21.65"

Material : waterproof CALCYT+®

STRIPP XF LED DIM 100 LM

REF N° 141 60 505 CRI 80 warm white 2200°K

REF N° 141 60 005 CRI 90 warm white 2700°K

REF N° 141 60 105 CRI 90 warm white 3000°K

REF N° 141 60 205 CRI 90 neutral white 4000°K


REF N° 141 60 305 royal blue

1W - excl. LED driver -

current controlled 350mA - 

Ⓟ - serial wiring - 3 Step MacAdam

Requires remote LED driver - 350mA



Ready for installation in solid walls

Optional plasterkit for installation into gypsum walls

PLASTERKIT STRIPP XF

REF N° 743 01 000 For mounting into gypsum walls

Housing: perforated aluminum

STRIPP