

TALON WALL

Talon is a wall mounting luminaire of simple and smart design. EN47100 die-cast aluminum base and extruded structure, single or double emission.

Powder polyester coated on treated layer to prevent corrosion, available in five standard colors. The chemical treatment of aluminum fixtures consists of Cataphoresis process followed by a 60/80micron layer of power polyester coating

Characterized by retrofit optics and equipped with low luminance shield to reduce the dazzling at maximum, diffuser made by tempered transparent silkscreened glass for Power Led model.


Mid Power LED model is supplied with sandblasted glasses which grant homogeneous light emission, mechanically fixed with silicon glue.

- Beams 19°-30°-55° Diffused
- Integrated Power Supply 120VAC 50/60Hz
- Power LED model , mono emission (8.2W LED) (10.7W Total)
- Double emission (2x8.2W LED) (19.3W Total)
- Diffused model mono emission (4.8W LED) (5.8W Total)
- Double emission (2x4.8W LED) (11W Total)
- CCT: 2700K/3000K/4000K CRI≥80
- IP65
- IK05
- IP connection kit and inox fixing clamp included











WALL
19° - 32° - 65°



TALON WALL


19° biemission 2X8.2W LED 19.3W Total 120VAC

						
		<i>white</i>	<i>sand</i>	<i>graphite</i>	<i>aluminum</i>	<i>corten</i>
2700K	2x756 lm	901131002	901131003	901131004	901131005	901131008
3000K	2x796 lm	901111002	901111003	901111004	901111005	901111008
4000K	2x836 lm	901121002	901121003	901121004	901121005	901121008








19°








TALON WALL

19° monoemission 8.2W LED 10.7W Total 120VAC

						
		<i>white</i>	<i>sand</i>	<i>graphite</i>	<i>aluminum</i>	<i>corten</i>
2700K	756 lm	901131032	901131033	901131034	901131035	901131038
3000K	796 lm	901111032	901111033	901111034	901111035	901111038
4000K	836 lm	901121032	901121033	901121034	901121035	901121038




19°




TALON WALL

	32°	biemission	2X8.2W LED	19.3W Total	120VAC	
		<i>white</i>	<i>sand</i>	<i>graphite</i>	<i>aluminum</i>	<i>corten</i>
2700K	2x760 lm	901131012	901131013	901131014	901131015	901131018
3000K	2x800 lm	901111012	901111013	901111014	901111015	901111018
4000K	2x840 lm	901121012	901121013	901121014	901121015	901121018




TALON WALL


	32°	monoemission	8.2W LED	10.7W Total	120VAC	
		<i>white</i>	<i>sand</i>	<i>graphite</i>	<i>aluminum</i>	<i>corten</i>
2700K	760 lm	901131042	901131043	901131044	901131045	901131048
3000K	800 lm	901111042	901111043	901111044	901111045	901111048
4000K	840 lm	901121042	901121043	901121044	901121045	901121048



32°




32°




TALON WALL

	65°	biemission	2X8.2W LED	19.3W Total	120VAC	
		<i>white</i>	<i>sand</i>	<i>graphite</i>	<i>aluminum</i>	<i>corten</i>
2700K	2x722 lm	901131022	901131023	901131024	901131025	901131028
3000K	2x760 lm	901111022	901111023	901111024	901111025	901111028
4000K	2x798 lm	901121022	901121023	901121024	901121025	901121028




TALON WALL

	65°	monoemission	8.2W LED	10.7W Total	120VAC	
		<i>white</i>	<i>sand</i>	<i>graphite</i>	<i>aluminum</i>	<i>corten</i>
2700K	722 lm	901131052	901131053	901131054	901131055	901131058
3000K	760 lm	901111052	901111053	901111054	901111055	901111058
4000K	798 lm	901121052	901121053	901121054	901121055	901121058





65°








65°


WALL
DIFFUSED





**TALON
WALL**

diffused biemission 2X4.8W LED 11W Total 120VAC






		 <i>white</i>	 <i>sand</i>	 <i>graphite</i>	 <i>aluminum</i>	 <i>corten</i>
2700K	2x481 lm	901131112	901131113	901131114	901131115	901131118
3000K	2x506 lm	901111112	901111113	901111114	901111115	901111118
4000K	2x531 lm	901121112	901121113	901121114	901121115	901121118




Diffused



TALON WALL

	diffused	monoemission	4.8W LED	5.8W Total	120VAC	
						
		<i>white</i>	<i>sand</i>	<i>graphite</i>	<i>aluminum</i>	<i>corten</i>
2700K	481 lm	901131102	901131103	901131104	901131105	901131108
3000K	506 lm	901111102	901111103	901111104	901111105	901111108
4000K	531 lm	901121102	901121103	901121104	901121105	901121108



Diffused



