

The  
Magic  
Of  
Light.

i-lantern

design by Landa R&D


designplan 

79 Trenton Avenue  
Frenchtown, NJ 08825

[www.designplan.com](http://www.designplan.com)

Tel: (908) 996-7710  
Fax: (908) 996-7042





# i-lantern

*A luminaire with a powerful 10W heart and diffused light beam. The diffuser in opal polycarbonate offers an optimal, performing and never invasive light. I-Lantern can also be installed using a stake; the product is perfect for driveways in private and public contexts.*

*The body of I-Lantern is made in EN-AW6060 extruded aluminum in combination with the elements obtained through EN47100 die-casting process.*

*Customizable in four colors and is available in three different heights.*

I-LANTERN | WALL LAMP  
I-LANTERN | POLE  
I-LANTERN | GARDEN LAMP





# i-lantern



# | 10W

DIFFUSE




## TECHNICAL SPECIFICATIONS

	<b>DIFFUSE</b>
Source lamp	LED 10W
Total wattage	12.5W
Voltage	120-277VAC, 50-60 Hz
Control	0-10V Dimming
Light color	3000K
Luminous flux *Source flux	600 lm (1360 lm*)
Luminous efficacy	48 lm/W
McADAM steps	3
Beam	diffuse
CRI	> 90
Life time	L70 > 50,000 h Ta 40°C
IP rating	IP65
IK rating	IK08



## MATERIALS

Body	Die-cast aluminum EN47100 and extruded aluminum EN-AW6060
Diffuser	Opal polycarbonate
Finishing	Polyester powder paint



## ORDER CODE

LN70 \_\_\_ DHB10\_

Finishing

L	Graphite	●
V	Oxide	●
U	White	○
G	Black	●

Height

035	13.78"
060	23.62"
090	35.43"

Example

LN70 035 DHB10 L

## AVAILABLE ACCESSORIES

Code	Description
LN00ALN	Root mounting kit
LN00ALN.01P	Anchor bolt

