

designplan

NEW FIXTURES

Introduction and Specs



LIGHTSHOW  WEST

SEPTEMBER 2019






UNLEAF

AirCoral® LED Recessed
Wall or Ceiling, 17.7" sq.,
6.5W, 5265 lm

[CLICK FOR MORE INFO](#)



GENIUS DIM TO WARM


AirCoral® LED Downlight,
6W, 350mA, 600 lm, IP20

[CLICK FOR MORE INFO](#)

GENIUS BASIC SLOPE

Coral® LED Downlight,
IC/Chicago Plenum,
Ø0.79", 6W, 660 lm, IP20

[CLICK FOR MORE INFO](#)





INZETA



AirCoral® LED Recessed Adjustable Indoor Downlight, 6W, 500mA, 780 lm, IP40

[CLICK FOR MORE INFO](#)

GENIUS SQUARE BRASS

AirCoral® LED Downlight, JA8, IC/Chicago Plenum, 8.5W, 1105 lm, IP20

[CLICK FOR MORE INFO](#)



UNDERLINE

19.7" x 19.7" LED Walkover Square Tile, 4.5W, 220 lm, IP68

[CLICK FOR MORE INFO](#)



UNDERScore

Adjustable LED Bollard,
19.7" x 6.1", 5.5W,
220 lm, IP68

[CLICK FOR MORE INFO](#)




JAMES & PAUL RAYNER LIGHTING

POLO PENDANT

Direct 42W & Indirect
18W LED, 4000K

[CLICK FOR MORE INFO](#)





RT DOWNLIGHT

Tunable white/RGBW, vandal resistant downlight,
26W, 877 lm, IP65 wet label

[CLICK FOR MORE INFO](#)

RS DOWNLIGHT

Vandal resistant downlight, 26W, 2342 lm,
IP65 wet label, suitable for steam rooms

[CLICK FOR MORE INFO](#)



LAMBDA

Direct / indirect LED
pendant, 0-10V, 72W/
144W, Up - 1664 lm,
Down - 1680 lm, IP20

[CLICK FOR MORE INFO](#)



Luce & Light

INTONO

(4.9) LED fixture with built in speaker.
Compatible with Amazon Alexa



Other Versions

INTONO 1.1

INTONO 1.2

INTONO 2.1

INTONO 2.2

INTONO 3.1

INTONO 3.2

INTONO 3.9

INTONO 4.1

INTONO 4.2

[CLICK FOR MORE INFO](#)



designplan

RING MAXI

LED Adjustable, Ø5.71",
42W, 4752 lm, IP66

[CLICK FOR MORE INFO](#)



RING MINI

LED Adjustable, Ø3.15",
10W, 1060 lm, IP66

[CLICK FOR MORE INFO](#)

HORIZON MEDIUM 02

23W, 1204 lm, IP65

[CLICK FOR MORE INFO](#)



ewo

IF BOLLARD

LED Bollard,
19.7" / 27.6" / 35.4" h,
6W, IP65

[CLICK FOR MORE INFO](#)



FA POLE / WALL MOUNTED

LED Pole or Wall Mounted,
200mA-700mA
Customizable, IP66

[CLICK FOR MORE INFO](#)



EL COLUMN

Customizable LED Light Column or Bollard, Various Heights & Wattages, IP66

[CLICK FOR MORE INFO](#)

eWO



**E-BR21
BICYCLE PARKING
BOLLARD**

8.4W / 9.9W, 350mA

[CLICK FOR MORE INFO](#)



**E-SB21
ILLUMINATED BENCH**

14.4W, 350mA

[CLICK FOR MORE INFO](#)