

minimu **M** AXIMUM
COLLECTION



m inimum (-)


Dimensions of the *modules*




Ø250mm
9.8in



Ø500mm
19.7in




Ø750mm
29.5in




250mm
9.8in




500mm
19.7in




750mm
29.5in



405mm
15.9in



810mm
31.8in




1215mm
47.8in



250mm
9.8in




500mm
19.7in



750mm
29.5in



405mm
15.9in



810mm
31.8in




1215mm
47.8in



250mm
9.8in



500mm
19.7in




750mm
29.5in


M

AXIMUM(+)


Dimenions of the *modules*




Ø1000mm
39.4in



Ø1250mm
49.2in




1000mm
39.4in




1250mm
49.2in




1620mm
63.8in



2025mm
79.7in



1000mm
39.4in



1250mm
49.2in



1620mm
63.8in



2025mm
79.7in





1000mm
39.4in




1250mm
49.2in

"A circle, which I use recently so often, could not be called otherwise but romantic. And the present day romanticism is essentially deeper, more beautiful, more substantial and more salutary, it is a piece of ice, in which fire is burning."
(*Wassily Kandinsky*)








SIZE DOES MATTER




Luminaire designed for flush installation on floors in outdoors and indoors areas. Suitable for power LED sources. Its body is made of stainless steel and aluminum submitted to anodizing treatment up to 1.8 micron. Front diffuser in extra clear tempered glass, subjected to a specific anti-stain sandblasting treatment, is integral to the body through a special glue-sealant used in shipbuilding. The snap-in installation of the devices is allowed through the mounting of stainless steel casing. It has anti-vandal stainless steel springs that make the device particularly suitable for installation in public and private areas. The device is removable via dedicated disassembly key to be ordered separately. The luminaire is available in IP68 24VDC. It is equipped with 1.64' long neoprene cable for connection to the power supply line, through appropriate waterproof connection systems not included.

“The Shortest distance between two points being a straight line.”
(Archimede)












Luminaire designed for flush installation on floors in outdoors and indoors areas. Suitable for power LED sources. Its body is made of stainless steel and aluminum submitted to anodizing treatment up to 1 8 micron. Front diffuser in extra clear tempered glass, subjected to a specific anti-stain sandblasting treatment, is integral to the body through a special glue-sealant used in shipbuilding. The snap-in installation of the devices is allowed through the mounting of stainless steel casing. It has anti-vandal stainless steel springs that make the device particularly suitable for installation in public and private areas. The device is removable via dedicated disassembly key to be ordered separately. The luminaire is available in IP68 24VDC. It is equipped with 1.64' long neoprene cable for connection to the power supply line, through appropriate water-proof connection systems not included.

"In my opinion, the artistic intervention is fundamental in urban decor.
This requires a work of integration between architect and sculptor."
(Arnaldo Pomodoro)











Rettangolo/
Underwater


SIZE DOES MATTER







Luminaire designed for flush installation on floors in outdoors and indoors areas. Suitable for power LED sources. Its body is made of stainless steel and aluminum submitted to anodizing treatment up to 18 micron. Front diffuser in extra clear tempered glass, subjected to a specific anti-stain sandblasting treatment, is integral to the body through a special glue-sealant used in shipbuilding. The snap-in installation of the devices is allowed through the mounting of stainless steel casing. It has anti-vandal stainless steel springs that make the device particularly suitable for installation in public and private areas. The device is removable via dedicated disassembly key to be ordered separately. The luminaire is available in IP68 24VDC. It is equipped with 1.64' long neoprene cable for connection to the power supply line, through appropriate water-proof connection systems not included.

“The square is not a subconscious form. It is the creation of intuitive reason. The face of the new art. The square is a living, regal infant. The first step of pure creation in art. Before it there were naive distortions and copies of nature.”
(Kazimir Malevich)












Luminaire designed for flush installation on floors in outdoors and indoors areas. Suitable for power LED sources. Its body is made of stainless steel and aluminum submitted to anodizing treatment up to 1.8 micron. Front diffuser in extra clear tempered glass, subjected to a specific anti-stain sandblasting treatment, is integral to the body through a special glue-sealant used in shipbuilding. The snap-in installation of the devices is allowed through the mounting of stainless steel casing. It has anti-vandal stainless steel springs that make the device particularly suitable for installation in public and private areas. The device is removable via dedicated disassembly key to be ordered separately. The luminaire is available in IP68 24VDC. It is equipped with 1.64' long neoprene cable for connection to the power supply line, through appropriate water-proof connection systems not included.





"Each triangle (acute, right angle or equilateral) has its own spiritual fragrance. Compared to other forms, this fragrance differs, acquires nuances, but remains fundamentally immutable, like the scent of the rose which cannot be confused with that of the violet."

(Michele Emmer)














OUTDOOR *plan*





Luminaire designed for flush installation on floors in outdoors and indoors areas. Suitable for power LED sources. Its body is made of stainless steel and aluminum submitted to anodizing treatment up to 1.8 micron. Front diffuser in extra clear tempered glass, subjected to a specific anti-stain sandblasting treatment, is integral to the body through a special glue-sealant used in shipbuilding. The snap-in installation of the devices is allowed through the mounting of stainless steel casing. It has anti-vandal stainless steel springs that make the device particularly suitable for installation in public and private areas. The device is removable via dedicated disassembly key to be ordered separately. The luminaire is available in IP68 24VDC. It is equipped with 1.64' long neoprene cable for connection to the power supply line, through appropriate water-proof connection systems not included.



Luminaire designed for flush installation on floors in outdoors and indoors areas. Suitable for power LED sources. Its body is made of stainless steel and aluminum submitted to anodizing treatment up to 1.8 micron. Front diffuser in extra clear tempered glass, subjected to a specific anti-stain sandblasting treatment, is integral to the body through a special glue-sealant used in shipbuilding. The snap-in installation of the devices is allowed through the mounting of stainless steel casing. It has anti-vandal stainless steel springs that make the device particularly suitable for installation in public and private areas. The device is removable via dedicated disassembly key to be ordered separately. The luminaire is available in IP68 24VDC. It is equipped with 1.64' long neoprene cable for connection to the power supply line, through appropriate water-proof connection systems not included.