



A collection inspired by Moorish architecture, and a style that is typical for the revival of exotic oriental architecture. The variety of designs with different decorative patterns inspires the lighting designer to integrate this collection into a large range of projects. State of the art LED units have been added to the range, allowing you to combine design and energy efficiency. The unique indirect wall light fixtures are fully paintable. But at the same token, you could try a finish with wall paper, gold leaf, or tadelakt.

designplan™ dp

WALL

E

MOOR

BRICK IN THE WALL®



# MOOR 1 IP20

INDOOR

Fix (not adjustable) 0° - 0°

8.86" × 15.75"

Material : CALCYT® plaster

MOOR

## MOOR 1 LED WARMDIM 900LM

WARMDIM : DIMS FROM 3000°K TO 2000°K

REF N° 101 21 630 Remote

11.8W - 350mA remote driver - parallel wiring (0.2m) - (P)  
4 Step MacAdam - CRI 90

## MOOR 1 LED 800LM

REF N°	2200°K	2700°K	3000°K
Remote	101 21 500	101 21 000	101 21 100

6.4W - 250mA (2700K, 3000K), 10W - 500mA (2200K) remote driver - parallel wiring (0.2m) - (P) - 2 Step MacAdam - CRI 90 - R9=2.95"

## MOOR 1 LED 1000LM


REF N°	2700°K	3000°K	4000°K
Remote	101 21 020	101 21 120	101 21 220

9.1W - 350mA - incl. line voltage driver - parallel wiring (0.2m) - (P)  
2 Step MacAdam - CRI 90 - R9=2.95"

## MOOR 1 LED 2000LM

REF N°	2700°K	3000°K	4000°K
Remote	101 21 040	101 21 140	101 21 240

13.8W - 500mA - incl. line voltage driver - parallel wiring (0.2m) - (P)  
2 Step MacAdam - CRI 80 -



Ready for installation in solid walls  
Optional plasterkit for installation into gypsum walls

### PLASTERKIT MOOR 1/2/3

REF N° 701 01 000 For mounting into gypsum walls



# MOOR 2 IP20

INDOOR

Fix (not adjustable) 0° - 0°

8.86" × 15.75"

Material : CALCYT® plaster

MOOR

## MOOR 2 LED WARMDIM 900LM

WARMDIM : DIMS FROM 3000°K TO 2000°K

REF N° 101 22 630 Remote

11.8W - 350mA - remote driver - parallel wiring (0.2m) - 4 Step MacAdam - CRI 90

## MOOR 2 LED 800LM

REF N°	2200°K	2700°K	3000°K
Remote	101 22 500	101 22 000	101 22 100

6.4W 250mA (2700K, 3000K), 10W 500mA (2200K) - remote driver - parallel wiring (0.2m) - 2 Step MacAdam - CRI 90 - R9=2.95"

## MOOR 2 LED 1000LM


REF N°	2700°K	3000°K	4000°K
Remote	101 22 020	101 22 120	101 22 220

9.1W - 350mA - remote driver - parallel wiring (0.2m) - 2 Step MacAdam - CRI 90 - R9=2.95"

## MOOR 2 LED 2000LM

REF N°	2700°K	3000°K	4000°K
Remote	101 22 040	101 22 140	101 22 240

13.8W - 500mA - remote driver - parallel wiring (0.2m) - 2 Step MacAdam - CRI 80



Ready for installation in solid walls  
Optional plasterkit for installation into gypsum walls

**PLASTERKIT MOOR 1/2/3**  
REF N° 701 01 000 For mounting into gypsum walls



# MOOR 3 IP20

INDOOR

Fix (not adjustable) 0° - 0°

8.86" × 15.75"

Material : CALCYT® plaster

MOOR

## MOOR 3 LED WARMDIM 900LM

WARMDIM : DIMS FROM 3000°K TO 2000°K

REF N° 101 23 630 Remote

11.8W - 350mA - remote driver - parallel wiring (0.2m) - 4 Step MacAdam - CRI 90

## MOOR 3 LED 800LM

REF N°	2200°K	2700°K	3000°K
Remote	101 23 500	101 23 000	101 23 100

6.4W - 250mA (2700K, 3000K), 10W - 500mA (2200K) remote driver - parallel wiring (0.2m) - 2 Step MacAdam - CRI 90 - R9=2.95"

## MOOR 3 LED 1000LM


REF N°	2700°K	3000°K	4000°K
Remote	101 23 020	101 23 120	101 23 220

9.1W - 350mA remote driver - parallel wiring (0.2m) - 2 Step MacAdam - CRI 90 - R9=2.95"

## MOOR 3 LED 2000LM

REF N°	2700°K	3000°K	4000°K
Remote	101 23 040	101 23 140	101 23 240

13.8W - 500mA - remote driver - parallel wiring (0.2m) - 2 Step MacAdam - CRI 80



Ready for installation in solid walls  
Optional plasterkit for installation into gypsum walls

### PLASTERKIT MOOR 1/2/3

REF N° 701 01 000 For mounting into gypsum walls



# MOOR 4 IP20

INDOOR

Fix (not adjustable) 0° - 0°

8.86" × 17.52"

Material : CALCYT® plaster

MOOR

## MOOR 4 LED WARMDIM 900LM

WARMDIM : DIMS FROM 3000°K TO 2000°K

REF N° 101 24 630 Remote

11.8W - 350mA - remote driver - parallel wiring (0.2m) - 4 Step MacAdam - CRI 90

## MOOR 4 LED 800LM

REF N°	2200°K	2700°K	3000°K
Remote	101 24 500	101 24 000	101 24 100

6.4W - 250mA (2700K, 3000K) 10W - 500mA (2200K) remote driver - parallel wiring (0.2m) - 2 Step MacAdam - CRI 90 - R9=2.95"

## MOOR 4 LED 1000LM


REF N°	2700°K	3000°K	4000°K
Remote	101 24 020	101 24 120	101 24 220

9.1W - 350mA remote driver - parallel wiring (0.2m) - 2 Step MacAdam - CRI 90 - R9=2.95"

## MOOR 4 LED 2000LM

REF N°	2700°K	3000°K	4000°K
Remote	101 24 040	101 24 140	101 24 240

13.8W - 500mA - remote driver - parallel wiring (0.2m) - 2 Step MacAdam - CRI 80



Ready for installation in solid walls  
Optional plasterkit for installation into gypsum walls

### PLASTERKIT MOOR 4/5

REF N° 701 02 000 For mounting into gypsum walls





# MOOR 5 IP20

INDOOR

Fix (not adjustable) 0° - 0°

8.86" × 17.52"

Material : CALCYT® plaster

MOOR

## MOOR 5 LED WARMDIM 900LM

WARMDIM : DIMS FROM 3000°K TO 2000°K

REF N° 101 25 630 Remote

11.8W - 350mA - remote driver -  
parallel wiring (0.2m) - 4 Step MacAdam - CRI 90

## MOOR 5 LED 800LM

REF N°	2200°K	2700°K	3000°K
Remote	101 25 500	101 25 000	101 25 100

6.4W - 250mA (2700K, 3000K), 10W - 500mA  
(2200K) remote driver -  
parallel wiring (0.2m) - 2 Step MacAdam - CRI 90 - R9=2.95"

## MOOR 5 LED 1000LM


REF N°	2700°K	3000°K	4000°K
Remote	101 25 020	101 25 120	101 25 220

9.1W - 350mA - remote driver -  
parallel wiring (0.2m) - 2 Step MacAdam - CRI 90 - R9=2.95"

## MOOR 5 LED 2000LM

REF N°	2700°K	3000°K	4000°K
Remote	101 25 040	101 25 140	101 25 240

13.8W - 500mA - remote driver -  
parallel wiring (0.2m) - 2 Step MacAdam - CRI 80



Ready for installation in solid walls  
Optional plasterkit for installation into gypsum walls

**PLASTERKIT MOOR 4/5**  
REF N° 701 02 000 For mounting into gypsum walls



# MOOR 6 IP20

INDOOR

Fix (not adjustable) 0° - 0°

8.86" × 18.90"

Material : CALCYT® plaster

MOOR

## MOOR 6 LED WARMDIM 900LM

WARMDIM : DIMS FROM 3000°K TO 2000°K

REF N° 101 26 630 Remote

11.8W - 350mA - remote driver - parallel wiring  $\downarrow$ 0.2m  $\equiv$   $\boxtimes$  -  $\oplus$  - 4 Step MacAdam - CRI 90

## MOOR 6 LED 800LM

REF N°	2200°K	2700°K	3000°K
Remote	101 26 500	101 26 000	101 26 100

6.4W - 250mA (2700K, 3000K), 10W - 500mA (2200K) remote driver - parallel wiring  $\downarrow$ 0.2m  $\equiv$   $\boxtimes$  -  $\oplus$  - 2 Step MacAdam - CRI 90 - R9 = 2.95"

## MOOR 6 LED 1000LM


REF N°	2700°K	3000°K	4000°K
Remote	101 26 020	101 26 120	101 26 220

9.1W - 350mA - remote driver - parallel wiring  $\downarrow$ 0.2m  $\equiv$   $\boxtimes$  -  $\oplus$  - 2 Step MacAdam - CRI 90 - R9 = 2.95"

## MOOR 6 LED 2000LM

REF N°	2700°K	3000°K	4000°K
Remote	101 26 040	101 26 140	101 26 240

13.8W - 500mA - remote driver - parallel wiring  $\downarrow$ 0.2m  $\equiv$   $\boxtimes$  -  $\oplus$  - 2 Step MacAdam - CRI 80



Ready for installation in solid walls  
Optional plasterkit for installation into gypsum walls

**PLASTERKIT MOOR 6/7/8**  
REF N° 701 03 000 For mounting into gypsum walls



# MOOR 7 IP20

INDOOR

Fix (not adjustable) 0° - 0°

8.86" × 18.90"

Material : CALCYT® plaster

MOOR

## MOOR 7 LED WARMDIM 900LM

WARMDIM : DIMS FROM 3000°K TO 2000°K

REF N° 101 27 630 Remote

11.8W - 350mA - remote driver - parallel wiring  $\text{C}-0.2\text{m}$   $\text{E}$  -  $\text{P}$  - 4 Step MacAdam - CRI 90

## MOOR 7 LED 800LM

REF N°	2200°K	2700°K	3000°K
Remote	101 27 500	101 27 000	101 27 100

6.4W - 250mA (2700K, 3000K), 10W (2200K) - remote driver - parallel wiring  $\text{C}-0.2\text{m}$   $\text{E}$  -  $\text{P}$  - 2 Step MacAdam - CRI 90 - R9 = 2.95"

## MOOR 7 LED 1000LM


REF N°	2700°K	3000°K	4000°K
Remote	101 27 020	101 27 120	101 27 220

9.1W - 350mA - remote driver - parallel wiring  $\text{C}-0.2\text{m}$   $\text{E}$  -  $\text{P}$  - 2 Step MacAdam - CRI 90 - R9 = 2.95"

## MOOR 7 LED 2000LM

REF N°	2700°K	3000°K	4000°K
Remote	101 27 040	101 27 140	101 27 240

13.8W - 500mA - remote driver - parallel wiring  $\text{C}-0.2\text{m}$   $\text{E}$  -  $\text{P}$  - 2 Step MacAdam - CRI 80



Ready for installation in solid walls  
Optional plasterkit for installation into gypsum walls

**PLASTERKIT MOOR 6/7/8**  
REF N° 701 03 000 For mounting into gypsum walls



# MOOR 8 IP20

INDOOR

Fix (not adjustable) 0° - 0°

□ 8.86" × 18.90"

Material : CALCYT® plaster

MOOR

## MOOR 8 LED WARMDIM 900LM

WARMDIM : DIMS FROM 3000°K TO 2000°K

REF N° 101 28 630 Remote

11.8W - 350mA - remote driver - parallel wiring (J-0.2m-III-E-Ⓟ) - 4 Step MacAdam - CRI 90 -

## MOOR 8 LED 800LM

REF N°	2200°K	2700°K	3000°K
Remote	101 28 500	101 28 000	101 28 100

6.4W - 250mA (2700K, 3000K), 10W - 500mA (2200K) - remote driver - parallel wiring (J-0.2m-III-E-Ⓟ) - 2 Step MacAdam - CRI 90 - R9 = 2.95"

## MOOR 8 LED 1000LM


REF N°	2700°K	3000°K	4000°K
Remote	101 28 020	101 28 120	101 28 220

9.1W - 350mA - remote driver - parallel wiring (J-0.2m-III-E-Ⓟ) - 2 Step MacAdam - CRI 90 - R9 = 2.95"

## MOOR 8 LED 2000LM

REF N°	2700°K	3000°K	4000°K
Remote	101 28 040	101 28 140	101 28 240


13.8W - 500mA - remote driver - parallel wiring (J-0.2m-III-E-Ⓟ) - 2 Step MacAdam - CRI 80 -



Ready for installation in solid walls  
Optional plasterkit for installation into gypsum walls

**PLASTERKIT MOOR 6/7/8**  
REF N° 701 03 000 For mounting into gypsum walls





# MOOR 1 LARGE IP20

INDOOR

Fix (not adjustable) 0° - 0°

8.86" × 19.69"

Material : CALCYT® plaster


MOOR

MOOR 1 LARGE LED WARMDIM 900LM			
WARMDIM : DIMS FROM 3000°K TO 2000°K			
REF N° 102 21 630 Remote			
11.8W - 350mA - remote driver - parallel wiring $\text{C}$ -0.2m- $\text{E}$ - $\text{P}$ - 4 Step MacAdam - CRI 90			

MOOR 1 LARGE LED 800LM			
REF N°	2200°K	2700°K	3000°K
Remote	102 21 500	102 21 000	102 21 100
6.4W - 250mA (2700K, 3000K), 10W - 500mA (2200K) remote driver - parallel wiring $\text{C}$ -0.2m- $\text{E}$ - $\text{P}$ - 2 Step MacAdam - CRI 90 - R9 = 2.95"			

MOOR 1 LARGE LED 1000LM			
REF N°	2700°K	3000°K	4000°K
Remote	102 21 020	102 21 120	102 21 220
9.1W - 350mA - remote driver - parallel wiring $\text{C}$ -0.2m- $\text{E}$ - $\text{P}$ - 2 Step MacAdam - CRI 90 - R9 = 2.95"			

MOOR 1 LARGE LED 2000LM			
REF N°	2700°K	3000°K	4000°K
Remote	102 21 040	102 21 140	102 21 240
13.8W - 500mA - remote driver - parallel wiring $\text{C}$ -0.2m- $\text{E}$ - $\text{P}$ - 2 Step MacAdam - CRI 80			



Ready for installation in solid walls  
Optional plasterkit for installation into gypsum walls

**PLASTERKIT**  
**MOOR LARGE 1/2/3**  
REF N° 702 01 000 For mounting into gypsum walls



# MOOR 2 LARGE IP20

INDOOR

Fix (not adjustable) 0° - 0°

8.86" × 19.69"

Material : CALCYT® plaster


MOOR

MOOR 2 LARGE LED WARMDIM 900LM			
WARMDIM : DIMS FROM 3000°K TO 2000°K			
REF N° 102 22 630 Remote			
11.8W - 350mA - remote driver - parallel wiring $\text{C}$ -0.2m- $\text{E}$ - $\text{P}$ - 4 Step MacAdam - CRI 90			

MOOR 2 LARGE LED 800LM			
REF N°	2200°K	2700°K	3000°K
Remote	102 22 500	102 22 000	102 22 100
6.4W - 250mA (2700K, 3000K) 10W - 500mA (2200K) - remote driver - parallel wiring $\text{C}$ -0.2m- $\text{E}$ - $\text{P}$ - 2 Step MacAdam - CRI 90 - R9 = 2.95"			


MOOR 2 LARGE LED 1000LM			
REF N°	2700°K	3000°K	4000°K
Remote	102 22 020	102 22 120	102 22 220
9.1W - 350mA - remote driver - parallel wiring $\text{C}$ -0.2m- $\text{E}$ - $\text{P}$ - 2 Step MacAdam - CRI 90 - R9 = 2.95"			

MOOR 2 LARGE LED 2000LM			
REF N°	2700°K	3000°K	4000°K
Remote	102 22 040	102 22 140	102 22 240
13.8W - 500mA - remote driver - parallel wiring $\text{C}$ -0.2m- $\text{E}$ - $\text{P}$ - 2 Step MacAdam - CRI 80			



Ready for installation in solid walls  
Optional plasterkit for installation into gypsum walls

**PLASTERKIT**  
**MOOR LARGE 1/2/3**  
REF N° 702 01 000 For mounting into gypsum walls



# MOOR 3 LARGE IP20

INDOOR

Fix (not adjustable) 0° - 0°

8.86" × 19.69"

Material : CALCYT® plaster


MOOR

MOOR 3 LARGE LED WARMDIM 900LM			
WARMDIM : DIMS FROM 3000°K TO 2000°K			
REF N° 102 23 630 Remote			
11.8W - 350mA - remote driver - parallel wiring (⏏-0.2m-⏏-Ⓢ-Ⓢ) - Ⓢ - Ⓢ - 4 Step MacAdam - CRI 90			

MOOR 3 LARGE LED 800LM			
REF N°	2200°K	2700°K	3000°K
Remote	102 23 500	102 23 000	102 23 100
6.4W 250mA (2700K, 3000K), 10W 500mA (2200K) - remote driver - parallel wiring (⏏-0.2m-⏏-Ⓢ-Ⓢ) - Ⓢ - Ⓢ - 2 Step MacAdam - CRI 90 - R9=2,95"			

MOOR 3 LARGE LED 1000LM			
REF N°	2700°K	3000°K	4000°K
Remote	102 23 020	102 23 120	102 23 220
9.1W - 350mA - remote driver - parallel wiring (⏏-0.2m-⏏-Ⓢ-Ⓢ) - Ⓢ - Ⓢ - 2 Step MacAdam - CRI 90 - R9=2,95"			

MOOR 3 LARGE LED 2000LM			
REF N°	2700°K	3000°K	4000°K
Remote	102 23 040	102 23 140	102 23 240
13.8W - 500mA - remote driver - parallel wiring (⏏-0.2m-⏏-Ⓢ-Ⓢ) - Ⓢ - Ⓢ - 2 Step MacAdam - CRI 80			



Ready for installation in solid walls  
Optional plasterkit for installation into gypsum walls

**PLASTERKIT**  
**MOOR LARGE 1/2/3**  
REF N° 702 01 000 For mounting into gypsum walls



# MOOR 4 LARGE IP20

INDOOR

Fix (not adjustable) 0° - 0°

8.86" × 21.46"

Material : CALCYT® plaster


MOOR

MOOR 4 LARGE LED WARMDIM 900LM			
WARMDIM : DIMS FROM 3000°K TO 2000°K			
REF N° 102 24 630 Remote			
11.8W - 350mA - remote driver - parallel wiring $\text{C}$ -0.2m $\text{E}$ - $\text{P}$ - 4 Step MacAdam - CRI 90			

MOOR 4 LARGE LED 800LM			
REF N°	2200°K	2700°K	3000°K
Remote	102 24 500	102 24 000	102 24 100
6.4W - 250mA (2700K, 3000K), 10W - 500mA (2200K) - remote driver - parallel wiring $\text{C}$ -0.2m $\text{E}$ - $\text{P}$ - 2 Step MacAdam - CRI 90 - R9=2.95"			

MOOR 4 LARGE LED 1000LM			
REF N°	2700°K	3000°K	4000°K
Remote	102 24 020	102 24 120	102 24 220
9.1W - 350mA - remote driver - parallel wiring $\text{C}$ -0.2m $\text{E}$ - $\text{P}$ - 2 Step MacAdam - CRI 90 - R9=2.95"			

MOOR 4 LARGE LED 2000LM			
REF N°	2700°K	3000°K	4000°K
Remote	102 24 040	102 24 140	102 24 240
13.8W - 500mA - remote driver - parallel wiring $\text{C}$ -0.2m $\text{E}$ - $\text{P}$ - 2 Step MacAdam - CRI 80			



Ready for installation in solid walls  
Optional plasterkit for installation into gypsum walls

**PLASTERKIT**  
**MOOR LARGE 4/5**  
REF N° 702 02 000 For mounting into gypsum walls





# MOOR 5 LARGE IP20

INDOOR

Fix (not adjustable) 0° - 0°

8.86" × 21.46"

Material : CALCYT® plaster


MOOR

MOOR 5 LARGE LED WARMDIM 900LM	
WARMDIM : DIMS FROM 3000°K TO 2000°K	
REF N° 102 25 630 Remote	
11.8W - 350mA - remote driver - parallel wiring $\text{C-0.2m}$ $\text{E}$ - $\text{P}$ - 4 Step MacAdam - CRI 90	

MOOR 5 LARGE LED 800LM			
REF N°	2200°K	2700°K	3000°K
Remote	102 25 500	102 25 000	102 25 100
6.4W 250mA (2700K, 3000K), 10W 500mA (2200K) - remote driver - parallel wiring $\text{C-0.2m}$ $\text{E}$ - $\text{P}$ - 2 Step MacAdam - CRI 90 - R9=2.95"			

MOOR 5 LARGE LED 1000LM			
REF N°	2700°K	3000°K	4000°K
Remote	102 25 020	102 25 120	102 25 220
9.1W - 350mA - remote driver - parallel wiring $\text{C-0.2m}$ $\text{E}$ - $\text{P}$ - 2 Step MacAdam - CRI 90 - R9=2.95"			

MOOR 5 LARGE LED 2000LM			
REF N°	2700°K	3000°K	4000°K
Remote	102 25 040	102 25 140	102 25 240
13.8W - 500mA - remote driver -parallel wiring $\text{C-0.2m}$ $\text{E}$ - $\text{P}$ - 2 Step MacAdam - CRI 80			



Ready for installation in solid walls  
Optional plasterkit for installation into gypsum walls

**PLASTERKIT**  
**MOOR LARGE 4/5**  
REF N° 702 02 000 For mounting into gypsum walls



# MOOR 6 LARGE IP20

INDOOR

Fix (not adjustable) 0° - 0°

8.86" × 22.83"

Material : CALCYT® plaster


MOOR

MOOR 6 LARGE LED WARMDIM 900LM			
WARMDIM : DIMS FROM 3000°K TO 2000°K			
REF N° 102 26 630 Remote			
11.8W - 350mA - remote driver -parallel wiring (J-0.2m-III-Ⓢ-Ⓢ) - 4 Step MacAdam - CRI 90			

MOOR 6 LARGE LED 800LM			
REF N°	2200°K	2700°K	3000°K
Remote	102 26 500	102 26 000	102 26 100
6.4W - 250mA (2700K, 3000K), 10W 500mA (2700K) - remote driver - parallel wiring (J-0.2m-III-Ⓢ-Ⓢ) - 2 Step MacAdam - CRI 90 - R9=2.95"			


MOOR 6 LARGE LED 1000LM			
REF N°	2700°K	3000°K	4000°K
Remote	102 26 020	102 26 120	102 26 220
9.1W - 350mA - remote driver - parallel wiring (J-0.2m-III-Ⓢ-Ⓢ) - 2 Step MacAdam - CRI 90 - R9=2.95"			

MOOR 6 LARGE LED 2000LM			
REF N°	2700°K	3000°K	4000°K
Remote	102 26 040	102 26 140	102 26 240
13.8W - 500mA - remote driver - parallel wiring (J-0.2m-III-Ⓢ-Ⓢ) - 2 Step MacAdam - CRI 80			



Ready for installation in solid walls  
Optional plasterkit for installation into gypsum walls

**PLASTERKIT**  
**MOOR LARGE 6/7/8**  
REF N° 702 03 000 For mounting into gypsum walls



# MOOR 7 LARGE IP20

INDOOR

Fix (not adjustable) 0° - 0°

8.86" × 22.83"

Material : CALCYT® plaster


MOOR

MOOR 7 LARGE LED WARMDIM 900LM			
WARMDIM : DIMS FROM 3000°K TO 2000°K			
REF N° 102 27 630 Remote			
11.8W - 350mA - remote driver - parallel wiring (J-0.2m-III-III-III-III) - (P) - 4 Step MacAdam - CRI 90			

MOOR 7 LARGE LED 800LM			
REF N°	2200°K	2700°K	3000°K
Remote	102 27 500	102 27 000	102 27 100
6.4W - 250mA (2700K, 3000K), 10W - 500mA (2700K) - remote driver - parallel wiring (J-0.2m-III-III-III-III) - (P) - 2 Step MacAdam - CRI 90 - R9=2.95"			

MOOR 7 LARGE LED 1000LM			
REF N°	2700°K	3000°K	4000°K
Remote	102 27 020	102 27 120	102 27 220
9.1W - 350mA - remote driver - parallel wiring (J-0.2m-III-III-III-III) - (P) - 2 Step MacAdam - CRI 90 - R9=2.95"			

MOOR 7 LARGE LED 2000LM			
REF N°	2700°K	3000°K	4000°K
Remote	102 27 040	102 27 140	102 27 240
13.8W - 500mA - remote driver - parallel wiring (J-0.2m-III-III-III-III) - (P) - 2 Step MacAdam - CRI 80			



Ready for installation in solid walls  
Optional plasterkit for installation into gypsum walls

**PLASTERKIT**  
**MOOR LARGE 6/7/8**  
REF N° 702 03 000 For mounting into gypsum walls



# MOOR 8 LARGE IP20

INDOOR

Fix (not adjustable) 0° - 0°

8.86" × 22.83"

Material : CALCYT® plaster


MOOR

MOOR 8 LARGE LED WARMDIM 900LM	
WARMDIM : DIMS FROM 3000°K TO 2000°K	
REF N° 102 28 630 Remote	
11.8W - 350mA - remote driver - parallel wiring (0.2m) - 4 Step MacAdam - CRI 90-	

MOOR 8 LARGE LED 800LM			
REF N°	2200°K	2700°K	3000°K
Remote	102 28 500	102 28 000	102 28 100
6.4W - 250mA (2700K, 3000K), 10W (2200K) - remote driver - parallel wiring (0.2m) - 2 Step MacAdam - CRI 90 - R9=2.95"			

MOOR 8 LARGE LED 1000LM			
REF N°	2700°K	3000°K	4000°K
Remote	102 28 020	102 28 120	102 28 220
9.1W - 350mA - remote driver - parallel wiring (0.2m) - 2 Step MacAdam - CRI 90 - R9=2.95"			


MOOR 8 LARGE LED 2000LM			
REF N°	2700°K	3000°K	4000°K
Remote	102 28 040	102 28 140	102 28 240
13.8W - 500mA - remote driver - parallel wiring (0.2m) - 2 Step MacAdam - CRI 80			



Ready for installation in solid walls  
Optional plasterkit for installation into gypsum walls

**PLASTERKIT**  
**MOOR LARGE 6/7/8**  
REF N° 702 03 000 For mounting into gypsum walls















MOOR





