

Light
and design.

neway

design by Innocenzo Rifino & Lorenzo Ruggeri

designplan[®] 

79 Trenton Avenue
Frenchtown, NJ 08825

www.designplan.com

Tel: (908) 996-7710
Fax: (908) 996-7042



neway

Neway shape is evocative and elegant, a 10W floor-standing luminaire with extra clear polycarbonate diffuser. A bollard where lighting is enhanced by design, available with height 13.0" (33 cm), 17.7" (45 cm), 29.5" (75 cm), 39.4" (100 cm) and 49.2" (125 cm) and three different finishes, graphite, light grey and oxide.

Neway is absolute 3D, solidity and perfect light distribution. No design limits and maximum resistance, thanks to the perfection of the design components and the technical solutions adopted.





neway



DIFFUSE

10W



TECHNICAL SPECIFICATIONS

	DIFFUSE
Source lamp	LED 10W
Total wattage	12W
Voltage	120-277VAC, 50-60 Hz
Control	On/Off • dimmable on request
Light color	3000K • 4000K • other colors on request
Delivered lumens *Lumens at Source	890 lm (1200 lm*) @ 3000K 940 lm (1300 lm*) @ 4000K
Luminous efficacy	74.2 lm/W @ 3000K 78 lm/W @ 4000K
McADAM steps	3
Beam	Diffuse
CRI	> 90
Life time	L70 > 50.000 h Ta 40°C
IP rating	IP65
IK rating	IK08




MATERIALS

Body	Die-cast aluminum EN47100 and extruded aluminum EN AW6060
Diffuser	Extra clear polycarbonate
Finishing	Polyester powder paint

ORDER CODE

NE 5 0 _ _ _ D _ B 1 0 _

Finishing	L	Graphite	●
	H	Gray	●
Light color	N	4000K	
	H	3000K	
Height	035	13.78" (35 cm)	
	045	17.72" (45 cm)	
	075	29.53" (75 cm)	
	100	39.37" (100 cm)	
	125	49.21" (125 cm)	
Example	NE 5 0 035 D H B 1 0 L		



AVAILABLE ACCESSORIES

Code	Description
00A405.01P	Anchor bolt
00A405	Root mounting kit



