PLANK W ATHENA



datasheet


Plank W Athena is a wall mounted minimalist lighting solution, using the Lutron Athena Wireless Node, and offering linear spread upper and diffused lower light emissions. It comes in a 48-inch length and is available in 4 color temperatures and 4 wooden side panel options. Set screws on the side of the driver housing allows the fixture to pivot up for access to the driver. ADA compliant.

TECHNICAL DATA

Wattage / Input	72W (120-277VAC)				
Power Supply	Integral (0-10V Dimming)				
Construction	Body: Extruded Aluminum Side Panel: Wood - available white oak, maple, cherry or walnut.				
ССТ	2700K, 3000K, 3500K, 4000K				
CRI	>90				
Delivered Lumens	Up - 1848 lm, Down - 1866 lm (4 ft, 3000K)				
Efficacy	Up: 25.6 lm/W, Down: 25.9 lm/W				
Optics	Up: Linear Spread, Down: Diffuse				
Finishes	Black Suede				
Wood Finishes	White Oak, Maple, Cherry, Walnut				
Fixture Dimensions	See page 2.				
LED Source	Mid-Power LEDs				
IP Rating	IP20				


*Athena Controls by Others

MOUNTING SCREWS BY OTHERS



MADE IN THE U.S.A. ADA COMPLIANT

Fixture Dimensions - See page 2.



ORDERING INFORMATION

Example: PW90-A-4-01-30-02-M-C-SC-0.

PW90-A	- 4	- 01	-	- 02	-	С	- SC	- 0
Model #	Length	Configuration	ССТ	Finish	Wood	Driver	Mounting	Options
PW90-A	4 - 4.0'	01 - Up & Down Dim Together	27 - 27K 30 - 30K 35 - 35K 40 - 40K	02 - Black Suede	O - Wh. Oak M - Maple C - Cherry W - Walnut	C - 120-277VAC, 0-10V Dimming	SC - Surface	0 - None

Job Name/Date: Fixture Type Designation:

P: 908-996-7710 F: 908-996-7042


of 3

PLANK W ATHENA




datasheet

FIXTURE DIMENSIONS



ATHENA NODE PLACEMENT



Job Name/Date:

Fixture Type Designation:

2 of 3


PLANK W ATHENA



datasheet

PHOTOMETRIC DATA

Note: All photometry is 3000K



Job Name/Date: Fixture Type Designation: