



VOLK

H

50

designplan® 

79 Trenton Avenue
Frenchtown, NJ 08825

www.designplan.com

Tel: (908) 996-7710
Fax: (908) 996-7042

← VOLK H50, INOX BRONZE, 2700K







VOLK H50, INOX GRAPHITE ↑
VOLK H50, INOX NATURAL, 3000K →



Fixing system



Head fixing detail



Head module inserted into the post

Bollard available in a single height of 1.64 feet, made of AISI 316L stainless steel. The bollard head features 3 LEDs with a 65° optic. Available in versions with color temperatures of 2700K, 3000K, and 4000K. Extra-clear black silk-screened tempered glass, 0.16 inches thick. Available in two installation types: flange with anchor bolts for concrete installation or plate for fixing with anchors. Integrated power supply. Surface finish HCT available in three versions.


H50



H50

Emission

65°





Info	Temperature	2700K (1629 lm) / 3000K (1650 lm) / 4000K (1839 lm)
	Power	LED 15W
	Finish	● INOX Natural ● INOX Graphite ● INOX Bronze
	Characteristics	IK08, IP66, DALI
	Accessories	F3, K2

Accessories

F3

K2





is the USA STRAL's official dealer

79 Trenton Avenue
Frenchtown, NJ

www.designplan.com

Tel: (908) 996-7710
Fax: (908) 996-7042