



DAN

M90

H60
H90

M120

H60
H90

designplan® 

79 Trenton Avenue
Frenchtown, NJ 08825

www.designplan.com

Tel: (908) 996-7710
Fax: (908) 996-7042

← DAN M90 H90, INOX NATURAL, 3000K





DAN M90 H90, INOX NATURAL, 2700K ↑ →



← DAN M120 H90, INOX GRAPHITE, 3000K



Interchangeable head module inserted into the post





Dowel fixing flange





Head fixing detail

Bollard available in two heights, 23.62 inches and 35.43 inches, in stainless steel AISI 316L. The bollard head is available in versions with diameters of 3.54 inches or 4.72 inches to meet different design requirements. Optics include 21°, 45°, and 65° with color temperatures of 2700K, 3000K, and 4000K. Extra-clear black silk-screened tempered glass, 0.16 inch thick. Installation on a flange with anchor bolts for concrete application, or alternatively, with a plate for fixing with anchors. Integrated power supply. Surface finish HCT available in three variants.

M90





M120



M90




Emission 21° / 45° / 65° 21° / 45° / 65°



Info	Temperature	2700K (543 lm) / 3000K (550 lm) / 4000K (613 lm)
	Power	LED 5W
	Finish	● INOX Natural ● INOX Graphite ● INOX Bronze
	Characteristics	IK08, IP66, DALI
	Accessories	F2, K1


M120

Emission 21° / 45° / 65° 21° / 45° / 65°



Info	Temperature	2700K (741 lm) / 3000K (750 lm) / 4000K (836 lm)
	Power	LED 7W
	Finish	● INOX Natural ● INOX Graphite ● INOX Bronze
	Characteristics	IK08, IP66, DALI
	Accessories	F2, K1

Accessories F2 K1





is the USA STRAL's official dealer

79 Trenton Avenue
Frenchtown, NJ

www.designplan.com

Tel: (908) 996-7710
Fax: (908) 996-7042