



FIXED

M

01  
02  
03

B

01  
02  
03

designplan® 


79 Trenton Avenue  
Frenchtown, NJ 08825

[www.designplan.com](http://www.designplan.com)

Tel: (908) 996-7710  
Fax: (908) 996-7042

← FIXED M01, INOX NATURAL, 3000K





FIXED B01, INOX GRAPHITE ↑  
FIXED B02, INOX GRAPHITE, 3000K →




New

Asymmetrical/street optics

← FIXED M01, INOX NATURAL, 2700K



A4 stainless steel flush screws



Extra-clear black screen-printed flush glass




Aesthetic beveled coupling between parts

The spacer integrated with the lamp body makes the product compact. Made of AISI 316L stainless steel. Flush black silk-screened glass extra-clear tempered, 0.16 inches thick. Mono and bi-emission versions with one, two or three LEDs for different design needs. 21°, 45° and 65° optics at 2700K, 3000K and 4000K. Integrated power supply. HCT surface finish available in three variants.


01



02



03



## M01

Emission 21° / 45° / 65° / Asym. L / Asym. S



Info	Temperature	2700K (543 lm) / 3000K (550 lm) / 4000K (613 lm)
	Power	LED 5W
	Finish	● INOX Natural ● INOX Graphite ● INOX Bronze
	Characteristics	IK08, IP66, DALI
	Accessories	-

## M02

Emission 21° / 45° / 65° / Asym. L / Asym. S



Info	Temperature	2700K (1087 lm) / 3000K (1100 lm) / 4000K (1227 lm)
	Power	LED 10W
	Finish	● INOX Natural ● INOX Graphite ● INOX Bronze
	Characteristics	IK08, IP66, DALI
	Accessories	-

## M03

Emission 21° / 45° / 65° / Asym. L / Asym. S



Info	Temperature	2700K (1630 lm) / 3000K (1650 lm) / 4000K (1839lm)
	Power	LED 15W
	Finish	● INOX Natural ● INOX Graphite ● INOX Bronze
	Characteristics	IK08, IP66, DALI
	Accessories	-

## B01

Emission 2 × 21° / 2 × 45° / 2 × 65°



Info	Temperature	2700K (2 × 543 lm) / 3000K (2 × 550 lm) / 4000K (2 × 613 lm)
	Power	LED 2 × 5W
	Finish	● INOX Natural ● INOX Graphite ● INOX Bronze
	Characteristics	IK08, IP66, DALI
	Accessories	-

## B02


Emission 2 × 21° / 2 × 45° / 2 × 65°



Info	Temperature	2700K (2 × 1087 lm) / 3000K (2 × 1100 lm) / 4000K (2 × 1227 lm)
	Power	LED 2 × 10W
	Finish	● INOX Natural ● INOX Graphite ● INOX Bronze
	Characteristics	IK08, IP66, DALI
	Accessories	-

## B03

Emission 2 × 21° / 2 × 45° / 2 × 65°



Info	Temperature	2700K (2 × 1630 lm) / 3000K (2 × 1650 lm) / 4000K (2 × 1839 lm)
	Power	LED 2 × 15W
	Finish	● INOX Natural ● INOX Graphite ● INOX Bronze
	Characteristics	IK08, IP66, DALI
	Accessories	-



is the USA STRAL's official dealer

79 Trenton Avenue  
Frenchtown, NJ

[www.designplan.com](http://www.designplan.com)

Tel: (908) 996-7710  
Fax: (908) 996-7042