ROTO

Roto is a compact, rotating version of the Fixed floodlight with a joint that allows 360° circular rotation on the axis to which it is applied, making it extremely functional. It is made of stainless steel, and comes in 3 sizes with 1, 2, or 3 LEDs, 3 optics options, and 3 standard Hard Coat Treatment finishes.

TECHNICAL DATA

Wattage / Input	5W per beam		
Power Supply	Remote (Consult Factory)		
Dimming	On / Off Only		
Construction	Body: AISI 316L Stainless Steel Lens: Black Silk-screened Extra-clear Tempered Glass 0.16" Thick		
ССТ	2700K, 3000K, 4000K		
CRI	>80		
Delivered Lumens	550 lm per bean (3000K)		
Efficacy	110 lm/W per beam (3000K)		
Optics	21°, 45°, 65°		
BUG Rating	—		
Lumen Maintenance	100,000 hrs L80, B10 (Ta 25°C)		
Hard Coat Finishes	Inox Natural, Inox Graphite, Inox Bronze		
Fixture Dimensions	2.8" h x 2.4" w x 4.9", 6.5" or 8.0" l		
IP Rating	IP66		
Impact Resistance	IK08		
Optics BUG Rating Lumen Maintenance Hard Coat Finishes Fixture Dimensions IP Rating	21°, 45°, 65° — 100,000 hrs L80, B10 (Ta 25°C) Inox Natural, Inox Graphite, Inox Bronze 2.8" h x 2.4" w x 4.9", 6.5" or 8.0" l IP66		

Hard Coating Treatment is the surface treatment of all the products by Stral Lighting. Available in three finishes Inox Natural, Inox Graphite and Inox Bronze. It guarantees a high superficial resistance to corrosion and atmospheric agents, as well as making the products anti-fingerprint and anti-stain.



Fixture Dimensions - See page 2

ORDERING INFORMATION

Example: SPT5041034B.US. Power Supplies / Accessories sold separately.

				.US
Model No.	ССТ	Optics	Finishes	
SPT50410 (M-01)	2 - 2700K	2 - 21°	N - Inox Natural	.US
SPT50420 (M-02)	3 - 3000K	4 - 45°	G - Inox Graphite	
SPT50430 (M-03)	4 - 4000K	6 - 65°	B - Inox Bronze	

Job Name/Date:

Fixture Type Designation:

designplan®

datasheet

ROTO

datasheet

FIXTURE DIMENSIONS





2.76" 6.46"





ROTO M01

ROTO M02



ROTO M03

FINISHES






Inox Graphite




Inox Bronze

PHOTOMETRIC DATA



PHOTOMETRIC FILENAME : DYKE ROTO 3000K 21° - PT5041032B.IES

M01 - 21°



M01 - 45°

Job Name/Date:

Fixture Type Designation:

sales@designplan.com www.designplan.com

79 Trenton Avenue, Frenchtown NJ 08825 © Copyright 2023 Designplan Lighting, Inc. Published: November 20, 2023

P: 908-996-7710 F: 908-996-7042 2 of 2