ALICE ALL LIGHT

- Rectangular luminaire for installation in the wall recessed.
- Configuration: die-cast aluminum structure, EN AB-47100 alloy (low copper content). Glass diffuser: sandblasted.
- Double layer coating for high resistance to corrosion: the aluminum components are painted with a double coat using powders which are compliant with QUALICOAT standards: a first layer of epoxy powder (with excellent chemical and mechanical resistance) and a second finishing layer of polyester powder (resistant to UV rays and atmospheric agents). The entire painting process of the aluminum fitting starts from components which have been sandblasted in advance to make the surface more porous and increase the adherence of the paint. Ares effects alkaline and acid washing to clean the surfaces completely, then rinses with demineralised water to remove any residue particles, subsequently a chemical conversion treatment is done to protect against rusting.
- · Protection rating: IP65
- Installation: wiring through two M16 plastic cable glands (0.18"<ø<0.39") placed on the back side of the fitting. Outdoor use requires suitable flexible cables assuring the watertightness of the cable gland. Installation requires a dedicated box to be ordered separately.





Recessed wall fitting.



The fitting is equipped with 2 cable input.



Remote device required.



Protection against impact.

IK 08 - 5,00 joule

Job Name:

Fixture Type:







sales@designplan.com www.designplan.com

> Tel: 908-996-7710 Fax: 908-996-7042

Last Modified:

ALICE ALL LIGHT

U8202001

NATURAL WHITE 4000K MID-POWER LEDs 8.8W/120V Total power 11W lm LED 1258 \neq lm OUTPUT 420 CRI >80

Integral electronic power supply

U8202002


WARM WHITE 3000K MID-POWER LEDs 8.8W/120V Total power 11W lm LED 1198 \neq lm OUTPUT 400 CRI >80

Integral electronic power supply










Accessories: Alice

U77BOX FOR INSTALLATION 9.29" x 5.35" H 4.33"





Job Name:

Fixture Type:

Last Modified:





79 Trenton Ave Frenchtown, NJ 08825 sales@designplan.com www.designplan.com

> Tel: 908-996-7710 Fax: 908-996-7042