

Adjustable Bollard



NOVA is a versatile indoor or outdoor LED luminaire that can be used as an adjustable bollard, spotlight, wall mount, or recessed floor light. It combines a unique aesthetic with high performance technical engineering. NOVA Adjustable Bollard is rotatable 350° available in 2 heights, and 2 standard finishes. Dark Sky compliant for output below 80°.



TECHNICAL DATA

Wattage	5.5W
Power Supply	Integral 120VAC
Construction	Body: Aluminum Fixing Base: Stainless Steel Lens: Sand Blasted Tempered Glass
CCT	2700K, 3000K, 4000K
BUG Rating	B0-U1-G0 (3000K)
CRI	>80
Delivered Lumens	275 lm (3000K) Dark Sky compliant, output below 80°
Efficacy	50 lm/W
Optics	Diffuse
Finishes	Anthracite + Gray or Titanium + Bronze
Lumen Maintenance	41,000 hrs (Ta 35°C)
Fixture Dimensions	7.87" x 1.97" x 13.5" or 35.4" h
IP Rating	IP65
Impact Resistance	—

Fixture Dimensions



ORDERING INFORMATION

Example: F63201.N.3.05.US. Power Supplies ordered separately.


			05	.US
Model No.	Finish	CCT	Optics	
F63201 - Bollard 13.5"	N - Anthracite + Gray	2 - 2700K	05 - Diffuse	.US
F63202 - Bollard 35.4"	O - Titanium + Bronze	3 - 3000K 4 - 4000K		

Job Name/Date:

Fixture Type Designation:

ACCESSORIES


Installation



PHOTOMETRIC DATA


Note all Photometry is 3000K

13.5 inch bollard



PHOTOMETRIC FILENAME : NOVA ADJ BOLLARD 30K - 63201.X.3.05.IES

35.4 inch bollard



PHOTOMETRIC FILENAME : NOVA ADJ BOLLARD 30K - 63202.X.3.05.IES

Job Name/Date:

Fixture Type Designation: