# SHELFIE T-700

datasheet

Shelfie is a integrated pole mounted lighting system classified as street furniture for outdoor installation. Its rectangular pole top is available in 3 color temperatures with asymmetrical or street optics and poles with heights from 11.5 ft to 19.7 ft, both made of AISI 316L stainless steel. Fixing system through a flange with anchor bolts or in a version with the pole buried. Dark Sky compliant for output below 80°. *Head and pole ordered separately.*



Inox RAL 9004 Matte Black

***Head SPT80110 or SPT80120 plus Pole SPT1281*** *(see page 3)*

Fixture Dimensions - Head
For Pole Sizes - See page 2




## TECHNICAL DATA

| | |
|---|---|
| **Wattage / Input** | 24W or 32W |
| **Power Supply** | Integral 120VAC |
| **Dimming** | On / Off |
| **Construction** | Body/Poles: AISI 316L Stainless Steel |
| **CCT** | 2200K, 3000K, 4000K |
| **CRI** | >80 |
| **BUG Rating** | B1-U1-G1 (3000K, 24W) |
| **Delivered Lumens** | 3450 lm (24W, 3000K)<br>4600 lm (32W, 3000K)<br>Dark Sky compliant, output below 80° |
| **Efficacy** | 143.8 lm |
| **Optics** | Asymmetric or Road |
| **Hard Coat Finishes** | Inox RAL 9004 Matte Black |
| **Fixture Dimensions** | Head: 26.4" l x 5.9"<br>Pole Dimensions - see page 2 |
| **Lumen Maintenance** | L80/B10 @100.000h Ta=25°C |
| **IP Rating** | IP66 |
| **Impact Resistance** | IK08 |
| **Warranty** | 10 Years Against Corrosion<br>5 Years on Electrical Components |

***Hard Coating Treatment*** *is the surface treatment of all the products by Stral Lighting. It is not a skin of color, but instead is a process that allows for the color to be absorbed all the way through. If a product is scratched, the color beneath is the same as the color on the surface. It guarantees a high superficial resistance to corrosion and atmospheric agents, as well as making the products anti-fingerprint and anti-stain. Available in three finishes Inox Natural, Inox Graphite and Inox Bronze.*

## ORDERING INFORMATION for SHELFIE HEAD

***Example: SPT8011034-R9004.US. Accessories / Poles ordered separately.***

| | | | | |
|---|---|---|---|---|
| | | | - | .US |
| **Model No.** | **CCT** | **Optics** | **Finishes** | |
| **SPT80110** - Head Only 24W<br>**SPT80120** - Head Only 32W<br>***Poles to be ordered separately, see page 3*** | **1** - 2200K<br>**3** - 3000K<br>**4** - 4000K | **5** - Asymmetrical<br>**4** - Road | **R9004** - Painted Ral 9004 Matte Black | **.US** |

*Job Name/Date:*

*Fixture Type Designation:*

**sales@designplan.com**
**www.designplan.com**
**79 Trenton Avenue, Frenchtown NJ 08825**
**P: 908-996-7710**
**F: 908-996-7042**
© Copyright 2024 Designplan Lighting, Inc.
Published: November 18, 2026

## FIXTURE DIMENSIONS - Pole with Flange (included)




## FIXTURE DIMENSIONS - Pole to be Buried





**SEE ORDERING MATRIX FOR POLES ON PAGE 3**


*Job Name/Date:*

*Fixture Type Designation:*


**sales@designplan.com**
**www.designplan.com**

**79 Trenton Avenue, Frenchtown NJ 08825**



© Copyright 2024 Designplan Lighting, Inc.



Published: November 18, 2026



**P: 908-996-7710**
**F: 908-996-7042**

# SHELFIE T-700

datasheet

## ORDERING INFORMATION for SHELFIE POLES

***Example: SPT1281306R9004.US. Head ordered separately.***

| SPT1281 | | | .US |
|---|---|---|---|
| **Model No.** | **CCT** | **Finishes** | |
| **SPT1281**<br>*Head to be ordered separately, see page 1* | **301** - H3000 (9.8') with flange - Pole Shelfie 1P<br>**201** - H3000 (9.8') buried - Pole Shelfie 1P<br>**302** - H3500 (11.5') with flange - Pole Shelfie 1P<br>**202** - H3500 (11.5') buried - Pole Shelfie 1P<br>**303** - H4000 (13.1') with flange - Pole Shelfie 1P<br>**203** - H4000 (13.1') buried - Pole Shelfie 1P<br>**304** - H4500 (14.8') with flange - Pole Shelfie 1P<br>**204** - H4500 (14.8') buried - Pole Shelfie 1P<br>**305** - H5000 (16.4' ) with flange - Pole Shelfie 1P<br>**205** - H5000 (16.4') buried - Pole Shelfie 1P<br>**306** - H5500 (18.0') with flange - Pole Shelfie 1P<br>**206** - H5500 (18.0') buried - Pole Shelfie 1P<br>**307** - H6000 (19.7') with flange - Pole Shelfie 1P<br><br>**501** - H3000 (9.8') with flange - Pole Shelfie 2P<br>**401** - H3000 (9.8') buried - Pole Shelfie 2P<br>**502** - H3500 (11.5') with flange - Pole Shelfie 2P<br>**402** - H3500 (11.5') buried - Pole Shelfie 2P<br>**503** - H4000 (13.1') with flange - Pole Shelfie 2P<br>**403** - H4000 (13.1') buried - Pole Shelfie 2P<br>**504** - H4500 (14.8') with flange - Pole Shelfie 2P<br>**404** - H4500 (14.8') buried - Pole Shelfie 2P<br>**505** - H5000 (16.4' ) with flange - Pole Shelfie 2P<br>**405** - H5000 (16.4') buried - Pole Shelfie 2P<br>**506** - H5500 (18.0') with flange - Pole Shelfie 2P<br>**406** - H5500 (18.0') buried - Pole Shelfie 2P<br>**507** - H6000 (19.7') with flange - Pole Shelfie 2P | **R9004** - Painted Ral 9004 Matte Black | **.US** |



Inox Satin

ORDERING EXAMPLE:
**SPT8011034.US** (head) **+**
**SPT1281307.US** (pole)

*Job Name/Date:*

*Fixture Type Designation:*

**sales@designplan.com**
**www.designplan.com**

**79 Trenton Avenue, Frenchtown NJ 08825**
© Copyright 2024 Designplan Lighting, Inc.
Published: November 18, 2026
**P: 908-996-7710**
**F: 908-996-7042**

# SHELFIE T-700

datasheet

## FINISHES



Inox RAL 9004

## PHOTOMETRIC DATA

*Note: All photometric data is 3000K*




PHOTOMETRIC FILENAME : SHELFIE PT8011035R9004 - 3000K, ASYM, 24W.IES




PHOTOMETRIC FILENAME : SHELFIE PT8011035R9004 - 3000K, ROAD, 24W.IES




PHOTOMETRIC FILENAME : SHELFIE PT8012035R9004 - 3000K, ASYM, 32W.IES




PHOTOMETRIC FILENAME : SHELFIE PT8011035R9004 - 3000K, ROAD, 32W.IES

*Job Name/Date:*

*Fixture Type Designation:*


**sales@designplan.com**
**www.designplan.com**

**79 Trenton Avenue, Frenchtown NJ 08825**



© Copyright 2024 Designplan Lighting, Inc.



Published: November 18, 2026



**P: 908-996-7710**
**F: 908-996-7042**