



Product

BASE

About

BASE is designed to be a real landmark, an emblem of safety where reliable and professional lighting is needed. As in baseball, the base is the focal point of the game, so BASE too is the element that if installed in the ground helps, with its light, to enhance the scene in which it is inserted.

designplan® 

79 Trenton Avenue
Frenchtown, NJ 08825

www.designplan.com

Tel: (908) 996-7710
Fax: (908) 996-7042

V

02



Inox Natural



Inox Graphite



Inox Bronze



V

03




Inox Natural



Inox Graphite



Inox Bronze





Inox Natural



Inox Graphite



Inox Bronze





Inox Natural



Inox Graphite





Inox Bronze



Frame and lamp body in stainless steel, including the part recessed in the ground. Stainless steel fixing screws with color matched to the finish. Horizontal or vertical asymmetrical reflector. Optics from 21°, 45° and 65° at 2700K, 3000K and 4000K. Installation in the ground and/or on the floor through polyethylene outer casing. 0.31" (8mm) extra-clear tempered glass. Integrated power supply. HCT surface finish available in three variants.



BASE V02



Color			Emission
2700K 1482 lm	3000K 1500 lm	4000K 1673 lm	
Power 12W			45°
Codes Technical details			65°

IP66 IP67 IK08 Accessories



BASE V03



Color			Emission
2700K 2223 lm	3000K 2250 lm	4000K 2509 lm	
Power 18W			45°
Codes Technical details			65°

IP66 IP67 IK08 Accessories



BASE H02



Color			Emission
2700K 1482 lm	3000K 1500 lm	4000K 1673 lm	
Power 12W			45°
Codes Technical details			65°

IP66 IP67 IK08 Accessories

BASE H03



Color			Emission
2700K 2223 lm	3000K 2250 lm	4000K 2509 lm	
Power 18W			45°
Codes Technical details			65°

IP66 IP67 IK08 Accessories



