

ILUM

Ogi



designplan® 

79 Trenton Avenue
Frenchtown, NJ 08825

www.designplan.com

TEL: (908) 996-7710

Tel: (908) 996-7710
Fax: (908) 996-7042

Ogi

Suspended






Ogi 60 S

Sign in the space

Our lamp family is based on the shape of Ogi, the traditional, Japanese folding fan. The bold, geometric shape in solid color and surprisingly thin profile create an iconic, graphic signature - a calligraphic brush stroke in the air.

Ogi


Collection




Light for every space

Ogi family provides complete solutions for various spaces. The generous and impactful pendants in three sizes, will illuminate living and dining rooms as well as restaurants and cafes, with tables of any size. The wall sconces were created for the corridors, and the super small size lamp will fit even a very narrow wall. The collection is completed with a table lamp, sculptural and full of character.







Ogi
40 S




Ogi
60 S




Ogi
80 S



Ogi
20 Wall



Ogi
40 Wall



Ogi
40 Table

Touchless Control

When we design our lamps, we think about more than just what they are supposed to illuminate. We care about building the overall experience of light in a room. In addition to the main light source pointing downward, pendant lamps also have additional light beaming upward, illuminating the ceiling. Similarly, wall sconces - they shine on the wall, but also on the ground. The combination of the two effects results in a more balanced and welcoming environment in the room. In addition, the pendant lamps and the table lamp are equipped with the "dim to warm" touchless light control function.




Ogi


Light gradient

What is special about Ogi is the way it distributes light. The unique, curved shape enables the light to gradually and pleasantly open up. In the center, the light is strongest and most concentrated, illuminating clearly the area below it. Moving up the curve, towards the elevated ends of the lamp, the light is fading away, creating a pleasant, dimmed light around it.





The unique shape of the tool-free mounting box completes the overall unique design of OGI





Ogi 40 Table

The table lamp is full of character. Combined with colour it becomes a decorative object on its own. The light in this variant has a special, dim to warm option, that allows to regulate the mood of the space.






DIM TO WARM


Looking at our own preferences, we noticed that in general we expect two functionalities from lighting: strong, bright, natural light for the activity time, and dimmed, soft and warm light for relaxation and recovery time.

That's why we introduced the "dim to warm" touchless light control function, which combines the function of dimming the light combined with the shift of its temperature. With a simple gesture, we can set the optimum light for the moment - from bright and cool, to dim and warm.

Touchless Control DIM TO WARM







reddot winner 2023


Ogi 20 Wall

The wall scones in two sizes were designed for both home and contract market. The light is emitted up and also down, for both decorative effect on the wall and functional floor illumination. Single lamp in bold color will work as a playful object on a wall of a modern living room. Multiplied mini version in toned down shade will serve well in hotel corridors.



Ogi

Collection



⌄ Suspension L 59.06" / 118.11"

Ogi
20 Wall

Ogi
40 Wall

Ogi
40 Table



Parameters

Dimensions (LxWxH)	14.57" x 1.42" x 7.24"	22.05" x 1.42" x 11.22"	31.50" x 1.42" x 16.26"
Power	13.5W	20W	27.5W
Luminous flux* (direct)	up to 1260 lm	up to 1890 lm	up to 2700 lm
Luminous flux* (indirect)	up to 126 lm	up to 189 lm	up to 189 lm
Diffuser	satin	satin	satin
Control	ON-OFF, DALI, CASAMBI, DIM TO WARM	ON-OFF, DALI, CASAMBI, DIM TO WARM	ON-OFF, DALI, CASAMBI, DIM TO WARM

* Fixture lumen output data refer to 3000K.

7.09" x 2.76" x 4.96"

14.57" x 2.76" x 8.94"

14.57" x 4.96" x 14.96"

Power	7W	13.5W	12W
Luminous flux* (direct)	630 lm	1260 lm	—
Luminous flux* (indirect)	63 lm	126 lm	1212 lm
Diffuser	satin	satin	satin
Control	ON-OFF	ON-OFF, DALI, CASAMBI	DIM TO WARM

For the latest product data please refer to the web page. To order a fixture, use the online product configurator.

Features




Light source: 2200-3000K, 3000K, 4000K, CRI > 90
MacAdam ≤ 3, 50.000h L80B10

Housing: powder coated steel

Supply: 220-240 V, 50-60 Hz

IP protection: 20

Colors



Housing colors:

Basic

- white (RAL9016)
- fog (RAL7038)
- graphite (RAL7024)
- black (RAL9005)

Standard

- sapphire (RAL 5003)
- forrest (RAL 6005)
- wine (RAL 3005)
- ochra (RAL 8001)

Premium

- sandy
- sage
- earth
- cloudy
- marrone
- volcano
- night
- black dust

