



CHANGE YOUR LIGHT

designplan[®] 

79 Trenton Avenue
Frenchtown, NJ 08825

www.designplan.com

Tel: (908) 996-7710
Fax: (908) 996-7042



MOD. **PAR 56**

MOD. PAR 56

Standard size lamp, compatible with any headlamp body with size conventional Par 56. No Air and Optical Pool Vision system. 24 VDC power supply. On request available in Black version for ideal application with dark color coating. Available resin kit for connection of contacts on site.



PAR 56 Mono

Standard headlight monochrome version
300K/4000K/5500K, without cable

	TIPOLOGIA	DIMENSIONE	CONSUMPTION	TEMPERATURE	EFFICIENCY	DIMMABLE
	 Faro a LED	 178 x h 92	 20 W	 3000-5500 K	 125 lm/W	 SI

PAR 56 TW

Standard headlight Dynamic White
version 2800K/4600K with 16.4 ft of cable

	TIPOLOGIA	DIMENSIONE	CONSUMPTION	TEMPERATURE	EFFICIENCY	DIMMABLE
	 Faro a LED	 178 x h 92	 20 W	 2800-4600 K	 110 lm/W	 SI

PAR 56 RGBW

Standard headlight RGBW version.
RGB + white 3000K, with 16.4 ft of cable

	TIPOLOGIA	DIMENSIONE	CONSUMO	TEMPERATURA	EFFICIENZA	DIMMERABILE
	 Faro a LED	 178 x h 92	 20 W	 4RGBW	 lm/W	 SI