

MOD. SQUID






MOD. SQUID

Circular headlight with high luminous performance, ideal for any application on pools with vinyl coating or tile. No Air System and Pool Vision Optics. 24 VDC power supply. Supplied with PVC niche and stainless-steel flange, seals and screws. Available version of the niche for prefabricated pools in steel or plastic material. Equipped with Plug/IP68 watertight connector. Cable customization. Power supply not included. 5 year warranty. Cover in Corian (6 colors available: white, sand, light blue, grey, anthracite, black).









SQUID Mono

LED headlight monochrome version 3000K/4000K/**5500K**















SQUID TW

LED headlight Dynamic White version 2800K/4600K

















SQUID RGBW

LED headlight RGBW version RGB+white 3000K

















MOD. MINI SQUID




MOD. MINI SQUID

Circular headlight with high luminous performance and compact size, ideal for any application on pools with vinyl coating or tile. System No Air and Optical Pool Vision. 24 VDC power supply. Supplied with PVC niche and steel flange stainless steel, gaskets and screws. Available version of the niche for prefabricated swimming pools in steel or plastic material. Equipped with watertight connector Plug/IP68. Customization of the cable. Power supply not included. Warranty 5 Years. Corian cover (6 colours available: white, sand, blue, grey, anthracite, black).









MINI SQUID Mono

LED headlight monochrome version 3000K/4000K/5**500K**



TYPE

6.10" x h7.13

DIMENSION

CONSUMPTION TEMPERATURE

3000-5500 k

EFFICIENCY 100 lm/W

DIMMARI F

MINI SQUID TW

LED headlight Dynamic White version 2800K/4600K



TYPE _ED headligh DIMENSION

6.10" x h7.13

CONSUMPTION TEMPERATURE

EFFICIENCY

DIMMARI E



MINI SQUID RGBW

LED headlight RGBW version RGB+white 3000K



TYPE







EFFICIENCY



