


designplan® 










Velo Round

## The comfort of light and sound

VELO is a decorative light fixture that also serves as an acoustic scone. The lamp housing is made of environmentally friendly EcoBoard material, which has a high sound absorption coefficient especially for medium and high frequencies.

# Velo


## Collection



### The lamp is available in two shapes - round and oval

The material consists of compressed polyester fibers, recovered in the process of recycling PET plastic bottles. It is resistant to mechanical damage and deformation. The material is friendly to the environment and human health. It is hypoallergenic, odorless, resistant to mold and does not emit toxic substances. Three variants of luminaire finish are available: smooth surface, radial grooving and vertical grooving.








# Velo


Oval



Velo Oval

Thanks to the multi-layer construction and the forward extension of the absorbing layer, sound is absorbed on both sides - once by direct sound, as well as by that reflected from the wall. The use of an acoustic tube helps reduce reverberation in the room and provides greater comfort.










# Velo

Round



## Parameters

Dimensions	Ø 14.96" x 2.44"	Ø 28.82" x 2.48"
Power	19 W	34 W
Luminous flux*	630 lm	1160 lm
Diffuser	dark microcrystal	dark microcrystal
Control	ON-OFF, DALI, CASAMBI	ON-OFF, DALI, CASAMBI

\* Fixture lumen output data refer to 4000K.  
For the latest product data please refer to the web page. To order a fixture, use the online product configurator.

## Features

LED

- Light source:** 3000K, 4000K, CRI> 80  
MacAdam ≤ 3, 50.000h L80B10
- Housing:** powder coated steel and acoustic material
- Supply:** 220-240 V, 50-60 Hz
- IP protection:** 20

## Parameters

Dimensions	Ø 39.92" x 2.44"	Ø 51.02" x 2.44"
Power	49 W	64 W
Luminous flux*	1670 lm	2180 lm
Diffuser	dark microcrystal	dark microcrystal
Control	ON-OFF, DALI, CASAMBI	ON-OFF, DALI, CASAMBI

\* Fixture lumen output data refer to 4000K.  
For the latest product data please refer to the web page. To order a fixture, use the online product configurator.

### Front PET felt

- Dark Blue
- African Grey
- Black
- Light Camel
- Dark Camel
- Brown
- Blackish Green
- Maroon

### Inside PET felt

- Black
- Dark Blue
- Dark Blue
- Light Sky Blue
- Maroon
- Blackish Green
- Tan
- Brown
- Maroon

# Velo



## Oval



Velo  
Oval 732

Velo  
Oval 1014

Velo  
Oval 1296



### Parameters

<b>Dimensions</b>	28.82" x 14.96" x 2.48"	39.92" x 14.96" x 2.48"
<b>Power</b>	34 W	49 W
<b>Luminous flux*</b>	1095 lm	1580 lm
<b>Diffuser</b>	dark microcrystal	dark microcrystal
<b>Control</b>	ON-OFF, DALI, CASAMBI	ON-OFF, DALI, CASAMBI

\* Fixture lumen output data refer to 4000K.  
For the latest product data please refer to the web page. To order a fixture, use the online product configurator.

### Features

LED

- Light source:** 3000K, 4000K, CRI> 80  
MacAdam ≤ 3, 50.000h L80B10
- Housing:** powder coated steel and acoustic material
- Supply:** 220-240 V, 50-60 Hz
- IP protection:** 20

### Parameters

<b>Dimensions</b>	51.02" x 14.96" x 2.48"
<b>Power</b>	64 W
<b>Luminous flux*</b>	2060 lm
<b>Diffuser</b>	dark microcrystal
<b>Control</b>	ON-OFF, DALI, CASAMBI

\* Fixture lumen output data refer to 4000K.  
For the latest product data please refer to the web page. To order a fixture, use the online product configurator.

#### Front PET felt

- Dark Blue
- African Grey
- Black
- Light Camel
- Dark Camel
- Brown
- Blackish Green
- Maroon

#### Inside PET felt

- Black
- Dark Blue
- Dark Blue
- Light Sky Blue
- Maroon
- Blackish Green
- Tan
- Brown
- Maroon
- Blackish Green



