


Linea 20 is a surface or suspended LED linear profile with a continuous light line (with 120 LEDs/m and opal diffuser applied) and angled illuminated connections. It comes in four lengths, 39.4", 78.7", 118.1" or 159.5". With a body made of aluminum, it comes in 4 standard finishes and over 20 different accessories.

TECHNICAL DATA

Wattage	18W per 3.28 ft (1 m)
Power Supply	Remote 24VDC, not included. See page 2
Construction	Body: Aluminum
CCT	2700K, 3000K, 4000K
CRI	85
Delivered Lumens	2034 lm per 3.28 feet (3000K)
Efficacy	113 lm/W
Optics	LED Tape, Field Cuttable (See page 2)
Finish	White Painted, Anodized, Black Anodized, Raw Aluminum
Fixture Dimensions	Length: 39.37", 78.74", 118.11", or 159.45" 120 LED / 3.28 ft (1 m) MAX LED Width: 0.79"
Fixture Weight	0.60 lbs
IP Rating	IP20




Fixture Dimensions



ORDERING INFORMATION

Example: C1010001.US. LED Tape / Accessories ordered separately.


C1			.US
Model No.	Length	Finish	
C1	0100 - 39.37"	00 - Raw Aluminum	.US
	0200 - 78.74"	01 - White Painted	
	0500 - 118.11"	20 - Anodized	
	0600 - 159.45"	21 - Black Anodized	




Job Name/Date:

Fixture Type Designation:


FINISHES




White Painted



Anodized




Black Anodized



Raw Aluminum

LED TAPE

24VDC - Field Cuttable



PPLL00622 – 2700K

PPLL00623 – 3000K

PPLL00624 – 4000K

16.40' l x 0.4" w

SUGGESTED POWER SUPPLIES

24VDC

Part Number	Description	Input/Output	# of Fixtures
PPLT00481	Non-Dim	120-277VAC to 24VDC, 24W, Class 2	1-1
PPLT00690	ELV / TRIAC & 0-10V Dimming	120-277VAC to 24VDC, 40W, Class 2, IP67	1-1
PPLT00691	Non-Dim	120-277VAC to 24VDC, 60W, Class 2, IP67	1-2
PPLT00709	ELV / TRIAC & 0-10V to 5% and OFF	120-277VAC to 24VDC, 96W, Class 2, DAMP	1-4
PPLT00158	Non-Dim	120VAC to 24VDC, 100W, Class 2	1-4
PPLT00543	0-10V Dimming to 15% (-40°C / -40°F cold weather start)	120-277VAC to 24VDC, 100W, Class 2	1-4

Suggested Lutron Compatible

Part Number	Option	Lutron SKU	Dim Range	Description	Input/Output	# of Fixtures
PPLT00273	L3DAE / L3DA3W	L3DA	100%-1%	Hi-Lume™ 1% EcoSystem™ or 1% 3-Wire LED Driver	120-277VAC to 24VDC, 40W, Class 2	1-1
PPLT00530	L3D0E / L3D03W	L3D0	100% to 0.1%	Hi-Lume™ Premier 0.1% EcoSystem™ or 3-Wire LED F2B Driver	120-277VAC to 24VDC, 96W, Class 2	1-4

For other power supply options consult factory.

Job Name/Date:

Fixture Type Designation:

ACCESSORIES

End Caps




C19400XX
End Cap - LINEA20
Finish - XX
01 - White
02 - Black
22 - Gray
40 - Silver





C19999XX
End Cap - LINEA20-E7
Finish - XX
01 - White
02 - Black
22 - Gray
40 - Silver

Mounting





C6XXX00
LED Mounting - LINEA20
Length - XXXX
0500 - 39.37"
0600 - 78.74"
0700 - 118.11"
0800 - 159.45"



Mounting Plate



Y - Flexible Mounting Plate
A2090019 (20 pcs)
Inox - Stainless Steel



Cone Y - Mounting Plate
A2130019 (20 pcs)
Inox - Stainless Steel



T - Mounting Plate
C6960000 (20 pcs)
Raw Aluminum

Job Name/Date:

Fixture Type Designation:

ACCESSORIES


Sling for Mounting



Sling for LED Mounting 1500

Chrome

Compatible with flexible mounting plates. Fast, easy assembly mounting to profile.



SELV Sling 50V 1500




(max 50V)

White

Silver


Black

Minimalistic look, no additional wires required.



ACCESSORIES

Connectors




C18500__

Connector LINEA20 - 60°

01 - White Painted

20 - Anodized

02 - Black Anodized



C18600__

Connector LINEA20 - 90°

01 - White Painted

20 - Anodized


02 - Black Anodized

Job Name/Date:


Fixture Type Designation:

ACCESSORIES


Connectors



C18700__
 Connector LINEA20 - 90° Bent
01 - White Painted
20 - Anodized
02 - Black Anodized




C18800__
 Connector LINEA20 - 120°
01 - White Painted
20 - Anodized
02 - Black Anodized




C18900__
 Connector LINEA20 - 135°
01 - White Painted
20 - Anodized
02 - Black Anodized



C1900000
 Connector LINEA20 - 180°



C19100
 Connector LINEA20 - 270° Bent
01 - White Painted
20 - Anodized
02 - Black Anodized




Job Name/Date:

Fixture Type Designation:

ACCESSORIES

Diffusers



C1070038
Diffuser E7 click 1000
opal / plastic bag



A2050038
Diffuser F click 1000
opal




A2050016
Diffuser F click 1000
transparent




A2210038S
diffuser F click 20m (65.62') reel
opal



A2000138
Diffuser E slide 1000
opal



A2000139
Diffuser E slide 1000
frosted



A2000116
Diffuser E slide 1000
transparent

ACCESSORIES

Other



C6940001
LINEA20 LED clamp
white painted (20 pcs)



C6930001
LINEA20-1 LED clamp
white (20 pcs)

Job Name/Date:

Fixture Type Designation: