


ACCESSORIES




# DIFFUSERS

**A**

diffuser A slide

SLIM8 AC2 /Z → 34  
 SMART10 AC2 /Z → 36  
 SMART-IN10 AC2 /Z → 96  
 OMNI10 AC2 → 146

UP-TILE10 A → 176  
 BACK10 A/UX → 190  
 UP-MINI10 A → 198  
 SKIRT10 AC2/Q9 → 202




material

	PC	PP	PP
	transparent	frosted	opal
39.37"	<b>89000616</b>	<b>89000639</b>	<b>89000638</b>
78.74"	<b>89000716</b>	<b>89000739</b>	<b>89000738</b>
118.11"	-	<b>89000839</b>	-

**A1**

diffuser A1 slide

GROOVE10.v2 A1C/U → 102  
 CORNER10.v2 A1C/U1 → 136  
 GLOW12 UP A1C → 150  
 GLOW12 DOWN A1C → 152



material


	PC	PP	PP
	transparent	frosted	opal
39.37"	<b>J6000816</b>	<b>J6000839</b>	<b>J6000838</b>
78.74"	<b>J6000916</b>	<b>J6000939</b>	<b>J6000938</b>
118.11"	-	<b>J6001039</b>	-

**A6**

**NEW**

diffuser A6 slide

CORNER16.v2 AC6/TY → 142




material

	PC	PP	PP
	transparent	frosted	opal
39.37"	-	-	-
78.74"	<b>K9000616</b>	<b>K9000639</b>	<b>K9000638</b>
118.11"	-	-	-

**A9**

diffuser A9 slide

VARIO30-01 ACDE-9/TY → 63  
 VARIO30-02 ACDE-9/TY → 64  
 VARIO30-03 ACDE-9/TY → 67  
 COMBO30-01 ACDE-9 → 75  
 VARIO30-06 ACDE-9/U9 → 119  
 VARIO30-07 ACDE-9/U9 → 120  
 VARIO30-04 ACDE-9 → 167  
 VARIO30-05 ACDE-9 → 168



material

	PC	PP	PP
	transparent	frosted	opal
39.37"	<b>V3000116</b>	<b>V3000139</b>	<b>V3000138</b>
78.74"	<b>V3000216</b>	<b>V3000239</b>	<b>V3000238</b>
118.11"	-	<b>V3000339</b>	-

**B**

diffuser B slide

- UNI12 BCD/U → 40
- UNI14 BC3/Y → 42
- SURFACE10 BC/UX → 44
- SURFACE10.v2 BC/U → 46
- SMART16 BC3/U4 → 52
- GROOVE10 BC/UX → 100
- GROOVE14.v2 BC3/Y → 106

- SMART-IN16 BC3/U4 → 112
- QUARTER10 BD/U6 → 128
- CORNER10 BC/UX → 134
- FRAME14 BC/Q → 154
- SMOOTH12 BC/Q9 → 156
- PLANE14 IN BC3 → 160
- PLANE14 SIDE BC3 → 162
- WALLE12 BCD → 196

	material		
	PC	PP	PP
	transparent	frosted	opal
39.37"	<b>76000116</b>	<b>76000139</b>	<b>76000138</b>
78.74"	<b>76000216</b>	<b>76000239</b>	<b>76000238</b>
118.11"	-	<b>76000339</b>	-

**C**


diffuser C click

- BEGTON12 J/S → 38
- UNI12 BCD/U → 40
- SURFACE10 BC/UX → 44
- SURFACE10.v2 BC/U → 46
- GROOVE10 BC/UX → 100
- GROOVE10.v2 A1C/U → 102
- DEEP10 BC/UX → 110
- CORNER10 BC/UX → 134
- CORNER10.v2 A1C/U1 → 136
- GLOW12 UP A1C → 150
- GLOW12 DOWN A1C → 152

- FRAME14 BC/Q → 154
- SMOOTH12 BC/Q9 → 156
- UNI-TILE12 C → 179-181
- ARC12 CD/U5 → 184
- PEN12 CJ → 188
- WAY10 C → 194
- WALLE12 BCD → 196

	material		
	PMMA	PMMA	PMMA
	transparent	opal	black
39.37"	<b>76320000</b>	<b>76320038</b>	<b>76320041</b>
78.74"	<b>76330000</b>	<b>76330038</b>	<b>76330041</b>
118.11"	<b>76650000</b>	<b>76650038</b>	<b>76650041</b>
161.42"	<b>76660000</b>	<b>76660038</b>	<b>76660041</b>

scissors for cutting diffusers



**73046028**

	material
	PMMA
reel	
length:	opal
787.40" (65.62')	<b>76360038S</b>

**C<sup>1</sup>**

diffuser C click lens gen2

- UNI12 BCD/U → 40
- SURFACE10 BC/UX → 44
- SURFACE10.v2 BC/U → 46
- GROOVE10 BC/UX → 100
- GROOVE10.v2 A1C/U → 102
- DEEP10 BC/UX → 110
- CORNER10 BC/UX → 134
- CORNER10.v2 A1C/U1 → 136

	material
	PC
	transparent
78.74"	<b>76810016</b>



**C1**

diffuser C1 click

material  
PMMA




opal



39.37"	H8050038
78.74"	H8060038
118.11"	H8070038
157.48"	H8080038

HI8 C1 → 94

**C2**

diffuser C2 click


material  
PMMA

	transparent	opal	black
39.37"	89000116	89000138	-
78.74"	89000216	89000238	89000241
118.11"	89000316	89000338	-
161.42"	89000416	89000438	-

- SLIM8 AC2/Z → 34
- SMART10 AC2/Z → 36
- SMART-IN10 AC2/Z → 96
- OMNI10 AC2 → 146
- SKIRT10 AC2/Q9 → 202

scissors for cutting diffusers



reel

length:

787.40" (65.62')

material  
PMMA





	opal	black
	89000538S	89000541S

**C3**

diffuser C3 click

material  
PMMA





	transparent	opal	black
39.37"	F1000116	F1000138	F1000141
78.74"	F1000216	F1000238	F1000241
118.11"	F1000316	F1000338	F1000341
157.48"	F1000416	F1000438	F1000441

- UNI14 BC3/Y → 42
- SMART16 BC3/U4 → 52
- GROOVE14.v2 BC3/Y → 106
- SMART-IN16 BC3/U4 → 112
- PLANE14 IN BC3 → 160
- PLANE14 SIDE BC3 → 162

**C4**

diffuser C4 click



material  
**PC**



opal


39.37"	<b>H7000538</b>
78.74"	<b>H7000638</b>
118.11"	<b>H7000738</b>
157.48"	<b>H7000838</b>

COMBO30-03 C4/Q9 → 77  
HIDE10 C4 → 158

**C6**

**NEW**

diffuser C6 click




material

**PMMA**

**PMMA**


**PMMA**



transparent



opal



black

39.37"	-	-	-
78.74"	<b>K9000916</b>	<b>K9000938</b>	<b>K9000941</b>
118.11"	-	-	-
161.42"	<b>K9001116</b>	<b>K9001138</b>	<b>K9001141</b>

CORNER16.v2 AC6/TY → 142

**C9**

diffuser C9 click




material

**PMMA**

**PMMA**


**PMMA**



transparent



opal




black

39.37"	<b>V3450016</b>	<b>V3450038</b>	<b>V3450041</b>
78.74"	<b>V3460016</b>	<b>V3460038</b>	<b>V3460041</b>
118.11"	<b>V3470016</b>	<b>V3470038</b>	<b>V3470041</b>
161.42"	<b>V3480016</b>	<b>V3480038</b>	<b>V3480041</b>

VARIO30-01 ACDE-9/TY → 63  
VARIO30-02 ACDE-9/TY → 64  
VARIO30-03 ACDE-9/TY → 67  
COMBO30-01 ACDE-9 → 75  
NAMI23 CD-9 → 80  
VARIO30-06 ACDE-9/U9 → 119  
VARIO30-07 ACDE-9/U9 → 120  
VARIO30-04 ACDE-9 → 167  
VARIO30-05 ACDE-9 → 168


**C10**<sup>1</sup>

diffuser C10 click opal




material

**PMMA**



opal





diffuser C10 click opal + PHIL.v2

LOWI C10 → 82  
PHIL53 C10 → 84  
PHIL.v2 C10 → 86  
PHIL RECESSED C10 → 124


39.37"	<b>63680038</b>
78.74"	<b>63690038</b>
118.11"	<b>63760038</b>
157.48"	<b>63700038</b>

**C10**<sup>2</sup>

diffuser C10 click narrow

material  
**PC**

narrow





diffuser C10 click narrow + PHIL.v2

LOWI **C10** → 82  
 PHIL53 **C10** → 84  
 PHIL.v2 **C10** → 86  
 PHIL RECESSED **C10** → 124


39.37"	<b>63610038</b>
78.74"	<b>63620000</b>
118.11"	<b>63790000</b>
159.45"	<b>63800000</b>

**C10**<sup>3</sup>

diffuser C10 click wide

material  
**PC**

wide





diffuser C10 click wide + PHIL.v2

LOWI **C10** → 82  
 PHIL53 **C10** → 84  
 PHIL.v2 **C10** → 86  
 PHIL RECESSED **C10** → 124


39.37"	<b>63580000</b>
78.74"	<b>63590000</b>
118.11"	<b>63770000</b>
157.48"	<b>63780000</b>

**C10**<sup>5</sup>**NEW**

diffuser C10 click pro

material  
**PC**

pro





diffuser C10 click pro + PHIL.v2

LOWI **C10** → 82  
 PHIL53 **C10** → 84  
 PHIL.v2 **C10** → 86  
 PHIL RECESSED **C10** → 124


39.37"	<b>P2000916</b>
78.74"	<b>P2001016</b>
118.11"	<b>P2001116</b>
159.45"	<b>P2001216</b>

**C10**<sup>6</sup>**NEW**

diffuser C10 click basic

material  
**PMMA**

basic




diffuser C10 click basic + PHIL.v2

LOWI **C10** → 82  
 PHIL53 **C10** → 84  
 PHIL.v2 **C10** → 86  
 PHIL RECESSED **C10** → 124

39.37"	<b>P2001338</b>
78.74"	<b>P2001438</b>
118.11"	<b>P2001538</b>
157.48"	<b>P2001638</b>

**D**

diffuser D click

material  
**PMMA**


opal

39.37"	<b>A1130038</b>
78.74"	<b>A1140038</b>
118.11"	<b>A1150038</b>
161.42"	<b>A1160038</b>

UNI12 **BCD/U** → 40  
 QUARTER10 **BD/U6** → 128  
 ARC12 **CD/U5** → 184  
 WALLE12 **BCD** → 196

**D9**

diffuser D9 click

material  
**PMMA**

opal

39.37"	<b>V3490038</b>
78.74"	<b>V3500038</b>
118.11"	<b>V3510038</b>
161.42"	<b>V3520038</b>

VARIO30-01 **ACDE-9/TY** → 63  
 VARIO30-02 **ACDE-9/TY** → 64  
 VARIO30-03 **ACDE-9/TY** → 67  
 COMBO30-01 **ACDE-9** → 75  
 NAMI23 **CD-9** → 80  
 VARIO30-06 **ACDE-9/U9** → 119  
 VARIO30-07 **ACDE-9/U9** → 120  
 VARIO30-04 **ACDE-9** → 167  
 VARIO30-05 **ACDE-9** → 168


end cap D9

**PMMA**

opal

**V4980038****E**


diffuser E slide



material

**PC**

transparent

**PP**

frosted

**PP**


opal

39.37"	<b>A2000116</b>	<b>A2000139</b>	<b>A2000138</b>
78.74"	<b>A2000216</b>	<b>A2000239</b>	<b>A2000238</b>
118.11"	-	<b>A2000339</b>	-

SURFACE14 **EE7F/TY** → 48  
 SURFACE14.v2 **EE7F/Y** → 50  
 LINEA20 **EE7F/TY** → 54  
 GROOVE14 **EE7F/TY** → 104  
 LINEA-IN20 **EE7F/U7** → 114  
 CABI12 **E** → 130  
 CABI12 DUO **E** → 132  
 CORNER14 **EE7F/TY** → 138  
 CORNER12.v2 **EF/U** → 140  
 LINEA-IN20 TRIMLESS **EE7F** → 164

**E7**

diffuser E7 click



material

**PMMA**

opal

39.37"	<b>C1070038</b>
78.74"	<b>C1080038</b>
118.11"	<b>C1090038</b>
159.45"	<b>C1100038</b>

SURFACE14 **EE7F/TY** → 48  
 SURFACE14.v2 **EE7F/Y** → 50  
 LINEA20 **EE7F/TY** → 54  
 GROOVE14 **EE7F/TY** → 104  
 LINEA-IN20 **EE7F/U7** → 114  
 CORNER14 **EE7F/TY** → 138  
 LINEA-IN20 TRIMLESS **EE7F** → 164

end cap E7

**PMMA**


opal

**C1840038**

**E9**

diffuser E9 click

- VARIO30-01 ACDE-9/TY → 63
- VARIO30-02 ACDE-9/TY → 64
- VARIO30-03 ACDE-9/TY → 67
- COMBO30-01 ACDE-9 → 75
- NAMI23 CD-9 → 80
- VARIO30-06 ACDE-9/U9 → 119
- VARIO30-07 ACDE-9/U9 → 120
- VARIO30-04 ACDE-9 → 167
- VARIO30-05 ACDE-9 → 168



material  
**PC**



end cap E9


**PMMA**




**F**

diffuser F click

- SURFACE14 EE7F/TY → 48
- SURFACE14.v2 EE7F/Y → 50
- LINEA20 EE7F/TY → 54
- GROOVE14 EE7F/TY → 104
- DIAGONAL14 F/TY → 108
- LINEA-IN20 EE7F/U7 → 114
- CORNER14 EE7F/TY → 138
- CORNER12.v2 EF/U → 140
- LINEA-IN20 TRIMLESS EE7F → 164




material  
**PMMA**



**PMMA**



**PMMA**



scissors for cutting diffusers




reel

length:

787.40" (65.62')

material  
**PMMA**




**G**


diffuser G slide




material  
**PC**



**PP**



**PP**




WIDE24 G/W → 60




**H**


diffuser H slide




material

**PC****PP****PP**

transparent



frosted



opal

39.37"

**23000116****23000139****23000138**

78.74"

**23000216****23000239****23000238**

118.11"

-


**23000339**

-

FLAT8 H/UX → 122

**I**


diffuser I click



material

**PC****PC**

frosted



opal

39.37"

**86050000****86050038**

78.74"

**86060000****86060038**

118.11"

**86510000****86510038**


161.42"

**86520000****86520038**


PEN8 I → 186

**J**

diffuser J slide



material

**PC****PP****PP**

transparent



frosted



opal

39.37"

**70000116****70000139****70000138**

78.74"

**70000216****70000239****70000238**

118.11"

-

**70000339**

-


BEGTIN12 J/S → 38

BEGTIN12 J/S → 98

PEN12 CJ → 188

**K**

diffuser K click



material

**PC**

opal

39.37"

**B1030038**

78.74"

**B1040038**

118.11"

**B1050038**

161.42"

**B1060038**

FLOOR8 K → 172

FLOOR12 K/U → 174


UP-BOLD12 K → 200

# MOUNTINGS

**Q**<sup>1</sup>

connector Q 90 deg bent

FRAME14 BC/Q → 154




material: zinc coated steel

C3960030

**Q**<sup>2</sup>

connector Q 180 deg

FRAME14 BC/Q → 154




material: zinc coated steel

C3990030

**Q**<sup>3</sup>

connector Q 135 deg

FRAME14 BC/Q → 154




material: zinc coated steel

C3980030

**Q**<sup>4</sup>

connector Q 90 deg

FRAME14 BC/Q → 154




material: zinc coated steel

C3970030

**Q9**<sup>1</sup>

connector Q9 90 deg bent

COMBO30-02 **Q9** → 77  
 COMBO30-03 **C4/Q9** → 77  
 PHIL.v2 **C10** → 86  
 SMOOTH12 **BC/Q9** → 156




material: zinc coated steel  
**V5999519S**

**Q9**<sup>2</sup>

connector Q9 180 deg

COMBO30-02 **Q9** → 77  
 COMBO30-03 **C4/Q9** → 77  
 PHIL.v2 **C10** → 86  
 SMOOTH12 **BC/Q9** → 156  
 SKIRT10 **AC2/Q9** → 202




material: zinc coated steel  
**V5999819S**

**Q9**<sup>3</sup>

connector Q9 135 deg

COMBO30-02 **Q9** → 77  
 COMBO30-03 **C4/Q9** → 77  
 SMOOTH12 **BC/Q9** → 156  
 SKIRT10 **AC2/Q9** → 202




material: zinc coated steel  
**V5999719S**

**Q9**<sup>4</sup>

connector Q9 120 deg

COMBO30-02 **Q9** → 77  
 COMBO30-03 **C4/Q9** → 77  
 SMOOTH12 **BC/Q9** → 156  
 SKIRT10 **AC2/Q9** → 202




material: zinc coated steel  
**V5999619S**

**Q9**<sup>5</sup>

connector Q9 90 deg

COMBO30-02 **Q9** → 77  
 COMBO30-03 **C4/Q9** → 77  
 PHIL.v2 **C10** → 86  
 SMOOTH12 **BC/Q9** → 156  
 SKIRT10 **AC2/Q9** → 202




material: zinc coated steel  
**V5999419S**

**Q9**<sup>6</sup>

connector Q9 60 deg

COMBO30-02 **Q9** → 77  
 COMBO30-03 **C4/Q9** → 77  
 SMOOTH12 **BC/Q9** → 156  
 SKIRT10 **AC2/Q9** → 202




material: zinc coated steel  
**V5999319S**

**Q9**<sup>7</sup>

connector Q9 45 deg

COMBO30-02 **Q9** → 77  
 COMBO30-03 **C4/Q9** → 77  
 SMOOTH12 **BC/Q9** → 156  
 SKIRT10 **AC2/Q9** → 202




material: zinc coated steel  
**V5999219S**

holder Q9 for sling

material: zinc coated steel


screw for Q9 connector

COMBO30-02 **Q9** → 77  
 PHIL.v2 **C10** → 86

**V5999919S****V5999830**

**S**<sup>1</sup>


mounting plate S

BEGTON12 J/S → 38  
BEGTIN12 J/S → 98

material: stainless steel

white      inox      black  
**C7980001**   **C7980019**   **C7980002****S**<sup>2</sup>

mounting plate S cone

BEGTON12 J/S → 38  
BEGTIN12 J/S → 98


material: stainless steel

white      inox      black  
**C7950001**   **C7950019**   **C7950002****T**<sup>1</sup>

mounting plate T

SURFACE14 EE7F/TY → 48  
 LINEA20 EE7F/TY → 54  
 VARIO30-01 ACDE-9/TY → 63  
 VARIO30-02 ACDE-9/TY → 64  
 VARIO30-03 ACDE-9/TY → 67



GROOVE14 EE7F/TY → 104  
 DIAGONAL14 F/TY → 108  
 CORNER14 EE7F/TY → 138

material: aluminum  
raw aluminum  
**C6960000****T**<sup>2</sup>

connector T 180 deg

SURFACE14 EE7F/TY → 48  
 LINEA20 EE7F/TY → 54  
 VARIO30-01 ACDE-9/TY → 63  
 VARIO30-02 ACDE-9/TY → 67  
 VARIO30-03 ACDE-9/TY → 67

GROOVE14 EE7F/TY → 104  
 DIAGONAL14 F/TY → 108  
 CORNER14 EE7F/TY → 138


material: aluminum  
raw aluminum  
**C6990000****U**<sup>1</sup>

mounting plate U

UNI12 BCD/U → 40  
 SURFACE10 BC/UX → 44  
 SURFACE10.v2 BC/U → 46  
 GROOVE10 BC/UX → 100  
 GROOVE10.v2 A1C/U → 102

DEEP10 BC/UX → 110  
 FLAT8 H/UX → 122  
 CORNER10 BC/UX → 134  
 CORNER12.v2 EF/U → 140  
 FLOOR12 K/U → 174

BACK10 A/UX → 190



material: stainless steel


inox  
**76380000****U**<sup>2</sup>

mounting plate U cone

UNI12 BCD/U → 40  
 SURFACE10 BC/UX → 44  
 SURFACE10.v2 BC/U → 46  
 GROOVE10 BC/UX → 100  
 GROOVE10.v2 A1C/U → 102

DEEP10 BC/UX → 110  
 FLAT8 H/UX → 122  
 CORNER10 BC/UX → 134  
 CORNER12.v2 EF/U → 140  
 FLOOR12 K/U → 174

BACK10 A/UX → 190



material: stainless steel


inox  
**76620000**



**U1**<sup>1</sup>

mounting plate U1

CORNER10.v2 A1C/U1 → 136




material: stainless steel

inox  
**J6999819**

**U4**<sup>1</sup>

mounting plate U4

SMART16 BC3/U4 → 52  
SMART-IN16 BC3/U4 → 112




material: stainless steel

white      inox      black  
**F1970001**   **F1970019**   **F1970002**

**U4**<sup>2</sup>

mounting plate U4 cone

SMART16 BC3/U4 → 52  
SMART-IN16 BC3/U4 → 112




material: stainless steel

white      inox      black  
**F1980001**   **F1980019**   **F1980002**

**U4**<sup>3</sup>

mounting plate U4 spring

SMART-IN16 BC3/U4 → 112




material: stainless steel, aluminum

inox  
**F6009819S**

**U5**<sup>1</sup>

mounting plate U5 cone

ARC12 CD/U5 → 184




material: stainless steel

inox  
**B2940019**

**U5**<sup>2</sup>

mounting plate U5 side

ARC12 CD/U5 → 184




material: stainless steel

white      raw aluminum      black  
**B2920001**   **B2920000**   **B2920002**

**U6**<sup>1</sup>

mounting plate U6

QUARTER10 BD/U6 → 128




material: stainless steel

inox  
**D3960019**

**U6**<sup>2</sup>

mounting plate U6 cone

QUARTER10 BD/U6 → 128




material: stainless steel

inox  
**D3970019**

**U7**<sup>1</sup>

mounting plate U7

LINEA-IN20 EE7F/U7 → 114




material: stainless steel

inox  
**E4960019**

**U7**<sup>2</sup>

mounting plate U7 cone

LINEA-IN20 EE7F/U7 → 114




material: stainless steel

inox  
**E4970019**

**U7**<sup>3</sup>

mounting plate U7 spring

LINEA-IN20 EE7F/U7 → 114




material: stainless steel

inox  
**E4880019S**

**U9**<sup>1</sup>


mounting plate U9

VARIO30-06 ACDE-9/U9 → 119  
VARIO30-07 ACDE-9/U9 → 120

material: stainless steel

inox  
**V4840019****U9**<sup>2</sup>


mounting plate U9

VARIO30-06 ACDE-9/U9 → 119  
VARIO30-07 ACDE-9/U9 → 120

material: stainless steel

inox  
**V4850019****U9**<sup>3</sup>

mounting plate U9


VARIO30-06 ACDE-9/U9 → 119  
VARIO30-07 ACDE-9/U9 → 120

material: stainless steel

inox  
**V4620019S****W**

mounting plate W


WIDE24 GW → 60



material: stainless steel

white      inox      black  
**84510001    84510019    84510002****X**<sup>1</sup>


mounting plate X

SURFACE10 BC/UX → 44  
GROOVE10 BC/UX → 100  
DEEP10 BC/UX → 110  
FLAT8 H/UX → 122  
CORNER10 BC/UX → 134  
BACK10 A/UX → 190

material: aluminum

raw aluminum  
**76260000****X**<sup>2</sup>

connector X 180 deg

SURFACE10 BC/UX → 44  
GROOVE10 BC/UX → 100  
DEEP10 BC/UX → 110  
FLAT8 H/UX → 122  
CORNER10 BC/UX → 134  
BACK10 A/UX → 190


material: aluminum

raw aluminum  
**76350000**

**X**<sup>3</sup>

mounting plate X

GROOVE10 BC/UX → 100  
 DEEP10 BC/UX → 110  
 FLAT8 H/UX → 122



material: aluminum

raw aluminum  
**23130000**

**Y**<sup>1</sup>

mounting plate Y

UNI14 BC3/Y → 42  
 SURFACE14 EE7F/Y → 48  
 SURFACE14.v2 EE7F/Y → 50  
 LINEA20 EE7F/TY → 54  
 VARIO30-01 ACDE-9/TY → 63  
 VARIO30-02 ACDE-9/TY → 64  
 VARIO30-03 ACDE-9/TY → 67



GROOVE14 EE7F/TY → 104  
 GROOVE14.v2 EE7F/Y → 106  
 DIAGONAL14 F/TY → 108  
 CORNER14 EE7F/TY → 138

material: stainless steel

inox  
**A2090019**

**Y**<sup>2</sup>

mounting plate Y

UNI14 BC3/Y → 42  
 SURFACE14 EE7F/Y → 48  
 SURFACE14.v2 EE7F/Y → 50  
 LINEA20 EE7F/TY → 54  
 VARIO30-01 ACDE-9/TY → 63  
 VARIO30-02 ACDE-9/TY → 64  
 VARIO30-03 ACDE-9/TY → 67



GROOVE14 EE7F/TY → 104  
 GROOVE14.v2 EE7F/Y → 106  
 DIAGONAL14 F/TY → 108  
 CORNER14 EE7F/TY → 138

material: stainless steel

inox  
**A2130019**

**Z**<sup>1</sup>

mounting plate Z

SLIM8 AC2/Z → 34  
 SMART10 AC2/Z → 36  
 SMART-IN10 AC2/Z → 96



material: stainless steel

white      inox      black  
**89270001    89270019    89270002**

**Z**<sup>2</sup>

mounting plate Z cone

SLIM8 AC2/Z → 34  
 SMART10 AC2/Z → 36  
 SMART-IN10 AC2/Z → 96



material: stainless steel

white      inox      black  
**89980001    89980019    89980002**




# LED PROFILE SLINGS

sling SELV  
50V; 59.06"



4.41 lbs per 1 set




59.06"	59.06"	59.06"
white	silver	black

<b>67120001</b>	<b>67120022</b>	<b>67120002</b>
-----------------	-----------------	-----------------

sling for mounting



22.05 lbs per 1 set




59.06"  
chrome

**67140003**

sling large



22.05 lbs per 1 set



59.06"  
chrome

118.11"  
chrome


**43100003**

**43110003**

## SLINGS

They enable creating pendant luminaires.  
They are especially recommended for the LED LINEA20, VARIO30-01, VARIO30-02, COMBO30, PHIL53 profile but are also compatible with most of the profiles.

MAX  
50 V



sling SELV 50 V 59.06"




sling for mounting



# VARIO30 LED ACCESSORIES

## LED clamp VARIO30

- VARIO30-02 ACDE-9/TY → 64
- VARIO30-03 ACDE-9/TY → 67
- VARIO30-06 ACDE-9/TY → 119
- VARIO30-07 ACDE-9/TY → 120
- VARIO30-04 ACDE-9/TY → 167
- VARIO30-05 ACDE-9/TY → 168




material: steel, plastic

white painted

**V4630001**

## LED clamp VARIO30-1

- VARIO30-02 ACDE-9/TY → 64
- VARIO30-03 ACDE-9/TY → 67
- VARIO30-07 ACDE-9/TY → 120
- VARIO30-05 ACDE-9/TY → 168




material: steel, plastic

white painted

**V4520001**

## LED mounting VARIO30

- VARIO30-02 ACDE-9/TY → 64
- VARIO30-03 ACDE-9/TY → 67
- VARIO30-07 ACDE-9/TY → 120
- VARIO30-05 ACDE-9/TY → 168




raw aluminum

39.37"	<b>V3570000</b>
78.74"	<b>V3580000</b>
118.11"	<b>V3590000</b>
159.45"	<b>V3600000</b>


## OTHER ACCESSORIES

adhesive tape double-sided  
thermally conductive 0.59" x 1.97"



1 reel  
67990000

adhesive tape double-sided  
nonconductive 0.98" x 0.98"




76340000

adhesive tape double-sided  
mounting HPX 0.47" x 16.40'




67960000

magnetic holder M02  
0.24"x 0.79" x 0.08"



67260000

magnetic holder M01  
0.39" x 0.55" x 0.06"



67250000

cleaning rubber for anodized surfaces



25250000


# SALES SUPPORT

TOPMET Light's e-showroom.




Get inspired by new products in TOPMET Light's e-showroom.


TOPMET Light's 360° Virtual Showroom



Immerse yourself into TOPMET's website



Find all informations about TOPMET's products in our e-catalogue



THREE TYPES OF LED PROFILES SAMPLE CASES

FURNITURE

ARCHITECTURAL

LIGHTING



# ACCESSORIES FOR LED SYSTEM - MOUNTINGS

