

Zero is a round, IP67-rated, outdoor luminaire in 4 different sizes that can be used as an in-grade uplight or a recessed wall fixture. Zero 65 is the Ø2.6 inch diameter version available in 2 color temperatures, 3 optics options and with or without honeycomb louver.

TECHNICAL DATA

Wattage	6.3W
Power Supply	Remote 24VDC, not included. See page 2
Construction	Body: Turned Aluminum Lens: Tempered, Transparent Glass
CCT	2700K, 3000K
CRI	>80
BUG Rating	B0-U3-G0 (3000K)
Delivered Lumens	422 lm (10°, 3000K, no honeycomb) 455 lm (26°, 3000K, no honeycomb)
Efficacy	67.0 lm/W (10°, 3000K) 72.2 lm/W (26°, 3000K)
Optics	10°, 26°, 52°
LED Source	Power LED
Finishes	Natural Aluminum
Fixture Dimensions	Ø2.56" x 2.24"
IP Rating	IP67
Impact Resistance	IK06




With No Honeycomb



With Honeycomb

Fixture Dimensions



ORDERING INFORMATION

Example: D900112196.US. Power Supplies / Accessories ordered separately.

D9001		6	US
Model #	CCT (Optics / Honeycomb)	Finish	
D9001	3219 - 2700K (10° with Honeycomb) 3220 - 2700K (10° with NO Honeycomb) 3215 - 2700K (26° with Honeycomb) 3212 - 2700K (26° with NO Honeycomb) 3206 - 2700K (52° with Honeycomb) 3207 - 2700K (52° with NO Honeycomb) 1219 - 3000K (10° with Honeycomb) 1220 - 3000K (10° with NO Honeycomb) 1215 - 3000K (26° with Honeycomb) 1212 - 3000K (26° with NO Honeycomb) 1206 - 3000K (52° with Honeycomb) 1207 - 3000K (52° with NO Honeycomb)	6 - Aluminum	US

Job Name/Date:

Fixture Type Designation:

SUGGESTED POWER SUPPLIES

24VDC

Part Number	Description	Input/Output	# of Fixtures - 6.3W
PPLT00586	Non-Dim	120-277VAC to 24VDC, 40W, Class 2	1-5
PPLT00543	0-10V Dimming to 15% (-40°C / -40°F cold weather start)	120-277VAC to 24VDC, 100W, Class 2	2-12

Suggested Lutron Compatible

Part Number	Option	Lutron SKU	Dim Range	Description	Input/Output	# of Fixtures 6.3W
PPLT00530	L3DAE / L3D0	L3DA/L3D0	100%-1%	Hi-Lume™ 0.1% EcoSystem™ or 3-Wire LED Driver	120-277VAC to 24VDC, 96W, Class 2	1-12

DRIVERS IN NEMA ENCLOSURE

Remote 24VDC - ELV / TRIAC / 0-10V





PPLT00715

Part Number	Description	Input/Output	# of Fixtures - 6.3W
PPLT00715	ELV / TRIAC / 0-10V Dimming to 0.1%	120-277VAC to 24VDC, 96W, Class 2, WET/DAMP	1-12

*For other power supply options consult factory.***ACCESSORIES****Recessed Box**
D9002 - Ø2.56"*Job Name/Date:**Fixture Type Designation:*

PHOTOMETRIC DATA

Note: all photometry is 3000K



Job Name/Date:

Fixture Type Designation: