

# PUNTO DI VISTA COMODINO


Punto Di Vista Comodino is a cylindrical, adjustable wall lamp made of aluminum and iron with a square canopy that is suitable for indoor applications. It is available in 2 standard color temperatures with 7 finish options and natural or burnished brass details.



## TECHNICAL DATA

<b>Wattage</b>	3W
<b>Power Supply</b>	Remote 350mA, not included. See page 2
<b>Light Source</b>	LED
<b>Construction</b>	Body: Aluminum, Iron, Brass
<b>CCT</b>	2700K, 3000K
<b>CRI</b>	>90
<b>Delivered Lumens</b>	400 lm (2700K)
<b>Efficacy</b>	133.3 lm/W
<b>Optics</b>	Narrow
<b>Finishes</b>	Body: 7 Standard (see below) Details: Natural or Burnished Brass
<b>Fixture Dimensions</b>	Head: Ø1.18" x 3.94" Rod: 7.87" Canapy: 2.76" x 2.76"
<b>IP Rating</b>	IP20

Fixture Dimensions



Uses Remote Driver - Does not require a J-Box

## ORDERING INFORMATION

Example: R70.071.2.ON.27.US. Power supplies ordered separately.

R70.071				US
Model No.	Body Finish	Detail Finish	CCT	
R70.071	<b>ON</b> - Natural Brass <b>ONB</b> - Burnished Brass <b>ONS</b> - Brushed Brass <b>7</b> - Iron Paint <b>4</b> - Burnished Paint <b>1</b> - Matte White Paint <b>2</b> - Matte Black Paint	<b>ON</b> - Natural Brass <b>ONB</b> - Burnished Brass	<b>27</b> - 2700K <b>30</b> - 3000K	US

Job Name/Date:

Fixture Type Designation:

## SUGGESTED POWER SUPPLIES

350mA

Part Number	Description	Input/Output	# of Fixtures
<a href="#">PPLT00496</a>	Phase Dim (120V only)	120VAC to 350mA, 12W, Class 2, DAMP	1-2
<a href="#">PPLT00465-P</a>	0-10V Dimming to 1.0%	120-277VAC to 350mA, 20W, Class 2, DAMP	1-4
<a href="#">PPLT00263</a>	Leading / Trailing Edge Dimming to 10% (120V only)	120-277VAC to 350mA, 32W, Class 2	3-3
<a href="#">PPLT00309-P</a>	0-10V Dimming to 0.1%	120-277VAC to 350mA, 50W, Class 2	1-4

## Suggested Lutron Compatible

Part Number	Option	Lutron SKU	Dim Range	Description	Input/Output	# of Fixtures
<a href="#">PPLT00516</a>	L3DAE / L3DA3W	L3DA	100%-1%	Hi-Lume™ 1% EcoSystem™ or 1% 3-Wire LED Driver	120-277VAC to 350mA, 13W, Class 2	3-3

*For other power supply options consult factory.*

## PHOTOMETRIC DATA

*Coming Soon*

Job Name/Date:

Fixture Type Designation: