

IKAR



Ring-shaped luminaire

IKAR

Characterized by a ring light, IKAR is a fascinating alternative to conventionally-shaped luminaires. The fully adjustable head can be freely rotated up to 360° as well as to a $\pm 90^\circ$ direction for an optimum adaptation of light on different angles. Specially-designed optical lenses developed using innovative know-how in optical expertise deliver pleasant and directional light with low UGR and with hidden LED hot spots.

The registered luminaire design offers various mounting options (track, ceiling, recessed) and color temperatures. Available in two sizes (2.6", 5.0"), the IKAR family is the ultimate downlight solution for a wide range of applications, such as hospitality and receptions areas, corridors, foyers, and similar ambiances.







RIMO d.o.o., Nova Gorica, Slovenia



Private house, Mencioni



RIMO d.o.o., Nova Gorica, Slovenia

IKAR Recessed



Order code	Description	Length (dia.)	System power (W)	Light output (lm)	Weight (lb)
IKAR Recessed					
IKSR0600000LY0Q0	IKAR R 65 LP FO	2.6"	3	258	1.32
IKLR0600000LY0Q0	IKAR R 127 LP FO	5.0"	5	392	1.76
IKSR0600000LY1Q0	IKAR R 65 LP DALI	2.6"	4	258	1.32
IKLR0600000LY1Q0	IKAR R 127 LP DALI	5.0"	6	392	1.76
IKSR0600000EY0Q0	IKAR R 65 HE FO	2.6"	4	344	1.32
IKLR0600000EY0Q0	IKAR R 127 HE FO	5.0"	7	548	1.76
IKSR0600000EY1Q0	IKAR R 65 HE DALI	2.6"	5	344	1.32
IKLR0600000EY1Q0	IKAR R 127 HE DALI	5.0"	8	548	1.76
IKSR0600000OY0Q0	IKAR R 65 HO FO	2.6"	6	518	1.32
IKLR0600000OY0Q0	IKAR R 127 HO FO	5.0"	10	778	1.76
IKSR0600000OY1Q0	IKAR R 65 HO DALI	2.6"	7	518	1.32
IKLR0600000OY1Q0	IKAR R 127 HO DALI	5.0"	11	778	1.76

IKAR Recessed with rod

IKAR Recessed with rod					
IKSRR60W000LY0Q0	IKAR R 65 LP FO ROD...	2.6"	3	258	1.32
IKLRR60W000LY0Q0	IKAR R 127 LP FO ROD...	5.0"	5	392	1.76
IKSRR60W000LY1Q0	IKAR R 65 LP DALI ROD...	2.6"	4	258	1.32
IKLRR60W000LY1Q0	IKAR R 127 LP DALI ROD...	5.0"	6	392	1.76
IKSRR60W000EY0Q0	IKAR R 65 HE FO ROD...	2.6"	4	344	1.32
IKLRR60W000EY0Q0	IKAR R 127 HE FO ROD...	5.0"	7	548	1.76
IKSRR60W000EY1Q0	IKAR R 65 HE DALI ROD...	2.6"	5	344	1.32
IKLRR60W000EY1Q0	IKAR R 127 HE DALI ROD...	5.0"	8	548	1.76
IKSRR60W000OY0Q0	IKAR R 65 HO FO ROD...	2.6"	6	518	1.32
IKLRR60W000OY0Q0	IKAR R 127 HO FO ROD...	5.0"	10	778	1.76
IKSRR60W000OY1Q0	IKAR R 65 HO DALI ROD...	2.6"	7	518	1.32
IKLRR60W000OY1Q0	IKAR R 127 HO DALI ROD...	5.0"	11	778	1.76

IKAR Ceiling



Order code	Description	Length (in)	System power (W)	Light output (lm)	Weight (lb)
IKAR Recessed					
IKLC0600000LY0Q0	IKAR C 127 LP FO	5.0"	5	392	1.76
IKLC0600000LY1Q0	IKAR C 127 LP DALI	5.0"	6	392	1.76
IKLC0600000EY0Q0	IKAR C 127 HE FO	5.0"	7	548	1.76
IKLC0600000EY1Q0	IKAR C 127 HE DALI	5.0"	8	548	1.76
IKLC0600000OY0Q0	IKAR C 127 HO FO	5.0"	10	778	1.76
IKLC0600000OY1Q0	IKAR C 127 HO DALI	5.0"	11	778	1.76

LED color temperature		Code Y
2700 K, CRI > 80	Warm white	2
3000 K, CRI > 80	Warm white	3
4000 K, CRI > 80	Natural white	4
5000 K, CRI > 80	Cool white	5
2700 K, CRI > 90	Warm white	6
3000 K, CR l> 90	Warm white	7
4000 K, CRI > 90	Natural white	8
5000 K, CRI > 90	Natural white	9
Housing Color		Code Q
White	RAL9016 fine texture	1
Black	RAL9005 fine texture	2

Rod length	Code W
3.9" (100mm)	1
7.9" (200mm)	2
11.8" (300mm)	3
15.8" (400mm)	4
19.7" (500mm)	5
23.6" (600mm)	6
27.6" (700mm)	7
31.5" (800mm)	8
35.4" (900mm)	9

LED color temperature		Code Y
2700 K, CRI > 80	Warm white	2
3000 K, CRI > 80	Warm white	3
4000 K, CRI > 80	Natural white	4
5000 K, CRI > 80	Cool white	5
2700 K, CRI > 90	Warm white	6
3000 K, CR l> 90	Warm white	7
4000 K, CRI > 90	Natural white	8
5000 K, CRI > 90	Natural white	9
Housing Color		Code Q
White	RAL9016 fine texture	1
Black	RAL9005 fine texture	2

Rod length	Code W
3.9" (100mm)	1
7.9" (200mm)	2
11.8" (300mm)	3
15.8" (400mm)	4
19.7" (500mm)	5
23.6" (600mm)	6
27.6" (700mm)	7
31.5" (800mm)	8
35.4" (900mm)	9

Order code	Description	Length (in)	System power (W)	Light output (lm)	Weight (lb)
IKAR Recessed					
IKLCR60W000LY0Q0	IKAR C 127 LP FO ROD...	5.0"	5	392	1.76
IKLCR60W000LY1Q0	IKAR C 127 LP DALI ROD...	5.0"	6	392	1.76
IKLCR60W000EY0Q0	IKAR C 127 HE FO ROD...	5.0"	7	548	1.76
IKLCR60W000EY1Q0	IKAR C 127 HE DALI ROD...	5.0"	8	548	1.76
IKLCR60W000OY0Q0	IKAR C 127 HO FO ROD...	5.0"	10	778	1.76
IKLCR60W000OY1Q0	IKAR C 127 HO DALI ROD...	5.0"	11	778	1.76



IKAR Track

Order code	Description	Length (in)	System power (W)	Light output (lm)	Weight (lb)
IKAR Low voltage Track					
IKST0600000LY1Q0	IKAR TRACK 65 LP DALI	2.6"	4	258	1.32
IKLT0600000LY1Q0	IKAR TRACK 127 LP DALI	5.0"	6	392	1.76
IKST0600000EY1Q0	IKAR TRACK 65 HE DALI	2.6"	5	344	1.32
IKLT0600000EY1Q0	IKAR TRACK 127 HE DALI	5.0"	8	548	1.76
IKST0600000OY1Q0	IKAR TRACK 65 HO DALI	2.6"	7	518	1.32
IKLT0600000OY1Q0	IKAR TRACK 127 HO DALI	5.0"	11	778	1.76



IKAR Track with rod

Order code	Description	Length (in)	System power (W)	Light output (lm)	Weight (lb)
IKAR Low voltage Track					
IKSTR60W000LY1Q0	IKAR TRACK 65 LP DALI ROD...	2.6"	4	258	1.32
IKLTR60W000LY1Q0	IKAR TRACK 127 LP DALI ROD...	5.0"	6	392	1.76
IKSTR60W000EY1Q0	IKAR TRACK 65 HE DALI ROD...	2.6"	5	344	1.32
IKLTR60W000EY1Q0	IKAR TRACK 127 HE DALI ROD...	5.0"	8	548	1.76
IKSTR60W000OY1Q0	IKAR TRACK 65 HO DALI ROD...	2.6"	7	518	1.32
IKLTR60W000OY1Q0	IKAR TRACK 127 HO DALI ROD...	5.0"	11	778	1.76

48V track to be ordered separately.